### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

# **ELEVATION CERTIFICATE**

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

	SEC	CTION A - PROPERT	Y INFOR	RMATION		FOR INSU	JRANCE COMPANY USE
A1. Building Own PETER & JUDY A					1.	Policy Nu	mber:
A2. Building Stree Box No. 110 S. QUINCY A	•	ncluding Apt., Unit, Su	ite, and/o	or Bidg. No.)	or P.O. Route	and Company	NAIC Number:
City				State		ZIP Code	
MARGATE	<del> </del>			New Je		08402	
LOT 14.02, BLOC		and Block Numbers, T	ax Parce	el Number, Le	gal Description	n, etc.)	
A4. Building Use	e.g., Reside	ntial, Non-Residential,	Addition	n, Accessory,	etc.) RESII	DENTIAL	
A5. Latitude/Long	tude: Lat. 3	9.32361	Long	74.50611	Horiz	ontal Datum: 🔲 NAD	1927 × NAD 1983
A6. Attach at leas	t 2 photograp	hs of the building if th	e Certific	cate is being	used to obtain	flood insurance.	
A7. Building Diagr	am Number	8					
A8. For a building	with a crawls	space or enclosure(s):					
a) Square foo	tage of craw	Ispace or enclosure(s)	)	»	1214.00 sq ft		
b) Number of	permanent fl	ood openings in the cr	awlspac	e or enclosur	e(s) within 1.0	foot above adjacent g	rade 2
c) Total net ar	ea of flood o	penings in A8.b	- 2	2480.00 sq ir	1		
d) Engineered	l flood openi	ngs? 🗵 Yes 🗌 I	No				
A9. For a building v	vith an attacl	ned garage:					
a) Square foot	age of attach	ned garage		N/A sq ff			
b) Number of p	permanent flo	ood openings in the at	tached g	arage within	1.0 foot above	adjacent grade N/A	
c) Total net are	ea of flood o	penings in A9.b	\$100	N/A sq	in		
d) Engineered	flood openin	gs? Yes 🖂 N	No				
3 P.	• 1					#	_
		CTION B - FLOOD	INSURA	NCE RATE	MAP (FIRM)	INFORMATION	16-345
B1. NFIP Commun CITY OF MARGAT		Community Number 1304		B2. County ATLANTIC	Name		B3. State New Jersey
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effe	RM Panel ective/	B8. Flood Zone(s)	B9. Base Flood I (Zone AO, us	Elevation(s) se Base Flood Depth)
34001C0434	F	01-30-2015	01-30-2	vised Date 2015	AE	10.0	
B10. Indicate the s	ource of the	Base Flood Elevation	(BFE) da	ata or base flo	ood depth ente	ered in Item B9:	
FIS Profile	FIRM	Community Determ	mined [	Other/Sou	rce: FIELD PI	RELIMINARY MAP	
B11. Indicate eleva	tion datum u	sed for BFE in Item B	9: 🗌 N	GVD 1929 [	× NAVD 1988	8 Other/Source:	
B12. Is the building	located in a	Coastal Barrier Reso	urces Sy	stem (CBRS	area or Other	wise Protected Area (	OPA)? ☐ Yes ⊠ No
Designation D	ate:		CBRS	□ ОРА			Sandarda Sandarda

# **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the			FOR INSU	JRANCE COMPANY USE
Building Street Address (including Apt., Ui 110 S. QUINCY AVENUE	nit, Suite, and/or Bldg. No.) or P.O. R	oute and Box No.	Policy Nun	
City MARGATE		P Code 3402	Company I	NAIC Number
SECTION C -	BUILDING ELEVATION INFORM	ATION (SURVEY RI	EQUIRED)	
C1. Building elevations are based on:  *A new Elevation Certificate will be not seem to seem to be not seem to	equired when construction of the build, A (with BFE), VE, V1–V30, V (with ding to the building diagram specified Vertical Dature elevations in items a) through h) be 188  Other/Source:	BFE), AR, AR/A, AR/ d in Item A7. In Puerton: NE NAVD 1988 low.	AE, AR/A1–, o Rico only,	A30, AR/AH, AR/AO. enter meters.
<ul> <li>a) Top of bottom floor (including bas</li> </ul>	ement, crawlspace, or enclosure floo	or)		feet meters
b) Top of the next higher floor			12.15	feet meters
c) Bottom of the lowest horizontal str	uctural member (V Zones only)		N/A	feet meters
d) Attached garage (top of slab)		-	N/A	feet meters
<ul> <li>e) Lowest elevation of machinery or (Describe type of equipment and I</li> </ul>	equipment servicing the building ocation in Comments)	79 111	12.15	feet  meters
f) Lowest adjacent (finished) grade r	next to building (LAG)	-	7.80 🗙 1	feet meters
g) Highest adjacent (finished) grade	next to building (HAG)	· · · · · · · · · · · · · · · · · · ·	8.00	feet meters
<ul> <li>h) Lowest adjacent grade at lowest e structural support</li> </ul>	levation of deck or stairs, including		7.37 × f	feet meters
SECTION D -	SURVEYOR, ENGINEER, OR AR	CHITECT CERTIFIC	CATION	16-345
This certification is to be signed and sealed a certify that the information on this Certific statement may be punishable by fine or im-	AIR IRNIASANIS MV NASI ATTORS to Inte	rarat the data availab	law to certify ble. I underst	-1
Were latitude and longitude in Section A pr	ovided by a licensed land surveyor?	⊠Yes □ No	⊠ Check	k here if attachments.
Certifier's Name HOWARD A. TRANSUE	License Number GS33541			
Title PROFESSIONAL LAND SURVEYOR			. 6	7 <i>5 33541</i> Place
Company Name SCHAEFFER NASSAR SCHEIDEGG, CE,	LLC			Seal
Address 1425 CANTILLON BOULEVARD			1 , ,	Hare
City MAYS LANDING	State New Jersey	ZIP Code 08330	1	6/20/2017
Signature	Date 06-20-2017	Telephone (609) 625-7400	Ext.	
Copy all pages of this Elevation Certificate an	d all attachments for (1) community of	ficial, (2) insurance ag	ent/company	, and (3) building owner.
Comments (including type of equipment and TEM A8b VENTS ARE CRAWL SPACE DOTEM C2e IS THE A.C. PAD.	l location, per C2(e), if applicable)			

#### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg, No.) or P.O. Route and Box No. Policy Number: 110 S. QUINCY AVENUE City ZIP Code Company NAIC Number State 08402 MARGATE New Jersey SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A. B. and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement. crawlspace, or enclosure) is feet meters above or below the HAG. b) Top of bottom floor (including basement. crawlspace, or enclosure) is ☐ feet ☐ meters ☐ above or ☐ below the LAG. E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1-2 of Instructions). the next higher floor (elevation C2.b in the diagrams) of the building is feet meters above or below the HAG. E3. Attached garage (top of slab) is feet meters above or below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name ZIP Code City State Address Date Telephone Signature Comments Check here if attachments

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018 IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, \$ 110 S. QUINCY AVENUE	Suite, and/or Bldg. No.) o	r P.O. Route and Box N	No. Policy Number:
City MARGATE	State New Jersey	ZIP Code 08402	Company NAIC Number
SECTI	ON G - COMMUNITY IN	FORMATION (OPTION	NAL) 16-345
The local official who is authorized by law or of Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, etc.	n Certificate. Complete th	e community's floodpla ne applicable item(s) an	in management ordinance can complete d sign below. Check the measurement
G1. The information in Section C was tall engineer, or architect who is authorized data in the Comments area below.)	ken from other document zed by law to certify eleva	ation that has been signation information. (Indic	ned and sealed by a licensed surveyor, ate the source and date of the elevation
G2. A community official completed Sector Zone AO.	tion E for a building locate	ed in Zone A (without a	FEMA-issued or community-issued BFE)
G3. The following information (Items G4-	-G10) is provided for con	nmunity floodplain man	agement purposes.
G4. Permit Number	G5. Date Permit Issue	d	G6. Date Certificate of Compliance/Occupancy Issued
G7. This permit has been issued for:	New Construction 🔲 S	Substantial Improvemer	nt
G8. Elevation of as-built lowest floor (including of the building:	g basement)	□	feet  meters Datum
G9. BFE or (in Zone AO) depth of flooding at	the building site:		feet meters Datum
G10. Community's design flood elevation:	-		feet meters Datum
Local Official's Name	Marie Consideration and the Consideration an	Title	
Community Name	-	Telephone	
Signature .		C/U/N	
Comments (including type of equipment and loc	ation, per C2(e), if applic	able)	
			Check here if attachments

## **BUILDING PHOTOGRAPHS**

#### **ELEVATION CERTIFICATE**

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces,	copy the corresponding information	from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (includin 110 S. QUINCY AVENUE	g Apt., Unit, Suite, and/or Bldg. No.) or	P.O. Route and Box No.	Policy Number:
City	State	ZIP Code	Company NAIC Number
MARGATE	New Jersey	08402	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT VIEW AND LEFT SIDE VIEW

16-345

Clear Photo One




Photo Two

Photo Two Caption FRONT VIEW AND RIGHT SIDE VIEW

Clear Photo Two

## **BUILDING PHOTOGRAPHS**

**ELEVATION CERTIFICATE** 

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces,	copy the corresponding information	from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including 110 S. QUINCY AVENUE	g Apt., Unit. Suite, and/or Bldg. No.) or	P.O. Route and Box No.	Policy Number:
City	State	ZIP Code	Company NAIC Number
MARGATE	New Jersey	08402	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption REAR VIEW



Clear Photo Three




Photo Four

Photo Four Caption CRAWL SPACE DOOR SYSTEMS FLOOD VENT MODEL 2032CS TYPICAL OF 2

Clear Photo Four

# Certification of Engineered Flood Openings

In accordance with NFIP, FEMA TB 1-08, and ASCE/SEI 24-05

I hereby certify that the Crawl Space Door Systems flood vents 816CS, 1220CS, 1232CS, 1616CS, 1624CS, 1632CS, 2032CS, 2424CS, and 2436CS are designed in accordance with the requirements of the NFIP "Flood Insurance Manual" (2011) to provide automatic equalization of hydrostatic flood forces by allowing for the entry and exit of floodwaters, when properly installed and sized as set forth below. This certification follows the design requirements and specifications established in FEMA Technical Bulletin 1-08, "Openings in Foundation Walls and Walls of Enclosures Below Elevated Buildings in Special Flood Hazard Areas", and the ASCE Standard for "Flood Resistant Design and Construction" (ASCE/SEI 24-05).

### **Design Characteristics**

6-34

Section 2.6.2.2 of ASCE 24 provides an equation to determine the required net area of engineered openings (A<sub>0</sub>) for a given enclosed area (A<sub>c</sub>). This equation is based on the hydraulic formula for the flow rate across sharp edged orifices. I have utilized this equation to calculate 1) the respected flow rate through the individual openings between louvers; 2) the flow rate through the main frame opening in case the louver is blown out during a flood event; and 3) the flow rate of water flowing through louver blades following hydraulic short tube theory. The ultimate maximum total enclosed area (A<sub>o</sub>) that can be serviced by a single vent has then been determined by utilizing the lowest flow rate of the three assessed scenarios for each vent and is listed in Table 1.

These values are based on the following assumptions:

- in absence of reliable data, the rates of rise and fall have been assumed with 5 feet/hour;
- The (maximum) difference between the exterior and interior floodwater levels has been assumed with 1 foot during base flood conditions;
- A factor of safety of 5 has been assumed, which is consistent with design practices related to protection of life and property;
- The net area of openings (A<sub>o</sub>) as provided by the manufacturer.

Installation	Requirements	and Limitations
--------------	--------------	-----------------

This certification will be voided if the following installation requirements and limitations are not enforced:

- There shall be a minimum of two openings on different sides of each enclosed area;
- The bottom of each required opening shall be no more than 1ft above the adjacent ground level;

*)	Model	HxW [in]	$A_o$ [in <sup>2</sup> ]	A <sub>e</sub> [ft <sup>2</sup> ]
	816CS	8 x 16	105	205
	1220CS	12 x 20	235	500
	1232CS	12 x 32	305	645
	1616CS	16 x 16	180	395
	1624CS	16 x 24	310	670
	1632CS	16 x 32	405	835
X	2032CS	20 x 32	630	1240
	2424CS	24 x 24	570	1230
	2436CS	24 x 36	850	1765

Table 1 Maximal total enclosed area (As) that can be served by each individual model based on the given net area of engineered openings (Ao)

- No temporary (e.g. during cold weather) or permanent solid cover may be placed into or over the flood vent that would block the automatic entry or exit of floodwaters at any time;
- Where analysis indicates rates of rise and fall greater than 5 ft/hr, the total enclosed area as given in Table 1 shall be reduced accordingly to account for the higher rates of rise and fall.

# Identification of the Building and Installed Flood Vents

The flood vent models marked in Table 1\*) are being installed at the following building:

**Building Address** 

QUINCY AVENUE, MARGITE, NJ

# Certifying Design Professional

Name WILLIAM S. SWIDERSKI, P.E. Title ENGINEER

Address 599 SHORE ROAD, SOMERS POINT, NJ 08244

Type of License PROFESSIONAL ENGINEER

> License # 20482

issuing State **NEW JERSEY** 

e F