U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 2012

ederal Emergency Management Agency
ational Flood Insurance Program - Important: Read the instructions on par

National Flood Insurance Program Import	ant: Read the instru	actions on pages 1-9	9.	
S	SECTION A - PROPER	RTY INFORMATION		For Insurance Company Use:
Building Owner's Name MARK GALLAGHER		APH II	2012	Policy Number
A∠. Building Street Address (including Apt., Unit, Suite, and 7 CIRCLE DRIVE	i/or Bldg. No.) or P.O. Ro	oute and Box No.		Company NAIC Number
City MARGATE State NJ ZIP Code 08402				
A3. Property Description (Lot and Block Numbers, Tax Par BLOCK 201.05 LOT 103	cel Number, Legal Descr	iption, etc.)		
A4. Building Use (e.g., Residential, Non-Residential, Additional Programme (e.g., Residential, Residen			-t-1 D-t	□
A5. Latitude/Longitude: Lat. <u>39 20'03.1"</u> Long. <u>74 29'40.6"</u> A6. Attach at least 2 photographs of the building if the Certi			ntal Datum:	☐ NAD 1927 ☐ NAD 1983
A7. Building Diagram Number 8	licate is being used to or	dani nood instrance.		
A8. For a building with a crawlspace or enclosure(s):		A9. For a building wi		5 5
Square footage of crawlspace or enclosure(s)	<u>1397</u> sq ft	a) Square foota		
No. of permanent flood openings in the crawlspace enclosure(s) within 1.0 foot above adjacent grade	or <u>8</u>	b) No. of perma within 1.0 foo		ppenings in the attached garage acent grade
c) Total net area of flood openings in A8.b	1600 sq in	c) Total net are		•
d) Engineered flood openings?	0	d) Engineered	flood openin	gs?
SECTION B - FLOO	OD INSURANCE RAT	E MAP (FIRM) INFO	RMATION	
B1. NFIP Community Name & Community Number MARGATE 345304	B2. County Name ATLANTIC COUNT	Y		3. State EW JERSEY
B4. Map/Panel Number B5. Suffix B6. FIRM In			Flood	B9. Base Flood Elevation(s) (Zone
345304\0001 C Date 7/1/74	Effective/Re	vised Date Zo	ne(s) A-8	AO, use base flood depth) 10.00'
10. Indicate the source of the Base Flood Elevation (BFE) of	data or base flood depth	entered in Item B9.		
☐ FIS Profile ☐ FIRM ☐ Community	Determined	Other (Describe)		
11. Indicate elevation datum used for BFE in Item B9: 🛛 🕻	_		r (Describe)	
Is the building located in a Coastal Barrier Resources S Designation Date	ystem (CBRS) area or O ☐ CBRS	therwise Protected Area OPA	(OPA)?	☐ Yes
Designation Date				
SECTION C - BUILDIN	IG ELEVATION INFO	RMATION (SURVEY	REQUIRE	D)
1. Building elevations are based on: Construction		Building Under Construc	ction*	
*A new Elevation Certificate will be required when constructions - Zones A1-A30, AE, AH, A (with BFE), VE, V		·	30 AR/AH	ARIAO Complete Items C2 a.h
below according to the building diagram specified in Item			ioo, Alvaii,	ATVAO. Complete items 02.a-ii
Benchmark UtilizedVertical Datum NGVD 1929				
Conversion/Comments				
			measureme	
a) Top of bottom floor (including basement, crawlspace			•	1 1/
b) Top of the next higher floor	/ Zones only) N/A			ters (Puerto Rico only)
c) Bottom of the lowest horizontal structural member (\(\bar{V} \)d) Attached garage (top of slab)	N/A			ters (Puerto Rico only)
e) Lowest elevation of machinery or equipment servicing				
(Describe type of equipment and location in Comme			`	14/12/10
f) Lowest adjacent (finished) grade next to building (LA				
g) Highest adjacent (finished) grade next to building (H.			,	•
 Lowest adjacent grade at lowest elevation of deck or structural support 	stairs, including 6.55	☑ feet ☐ met	ters (Puerto I	Rico only)
SECTION D - SURVE				
This certification is to be signed and sealed by a land surveyor nformation. I certify that the information on this Certificate re I understand that any false statement may be punishable by a	epresents my best efforts	to interpret the data ava	ilable.	
□ Check here if comments are provided on back of form.		ngitude in Section A prov		
Za onesk here it continents are provided on back or form.	licensed land survey	•	-	
tifier's Name ARTHUR W. PONZIO, JR.	Lice	nse Number GS28314		Selection for the selection of the selec
Company Name	e ARTHUR W. PONZIC	CO. & ASSOCIATES, I	NC.	_
Address 400-NORTH DOVER AVENUE City ATLANTIC	CITY State	e NJ ZIP Cod	e 08401	_
Signature And Date	e 4/11/12 Tele	phone 609-344-8194		_

IMPORTANT: In these spaces, copy the corresponding information from Section A.	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 7 CIRCLE DRIVE	Policy Number
City MARGATE State NJ ZIP Code 08402	Company NAIC Number
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CON	NTINUED)
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building ow	ner.
Comments PROJECT # 30609	
CZe: * A/C CONDENSORS ON GARAGE ROOF	
Signature Date 4/11/12	□ Check here if attachments
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO A	
For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter mete E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is a grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is	request, complete Sections A, B, ers. bove or below the highest adjacent above or below the HAG. above or below the LAG. f Instructions), the next higher floor HAG. ve or below the HAG. community's floodplain management ICATION IA-issued or community-issued BFE)
Comments	
	☐ Check here if attachments
SECTION G - COMMUNITY INFORMATION (OPTIONAL)	
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance cand G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Item The information in Section C was taken from other documentation that has been signed and sealed by a licensed is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Control of the community official completed Section E for a building located in Zone A (without a FEMA-issued or community The following information (Items G4-G9) is provided for community floodplain management purposes.	s G8 and G9. d surveyor, engineer, or architect who imments area below.)
G4. Permit Number 2011-0672 G5. Date Permit Issued G6. Date Certificate Of Complete	iance/Occupancy Issued
10 m-10 (000)	er ev
This permit has been issued for: New Construction Substantial Improvement Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building: feet meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building set meters (PR) Datum Set Idevation of as-built lowest floor (including basement) of the building set meters (PR) Datum Set Idevation of as-built lowest floor (including basement) o	
Local Official's Name James Galantino Title Construction C	fficial
Community Name Margate City Telephone 609-822-197	4
Signature Date//2/R	
Inments	□ Check here if attachments



Most Widely Accepted and Trusted

ICC-ES Report

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

This report is subject to renewal 10/2017.

DIVISION: 08 00 00—OPENINGS

SECTION: 08 95 43—VENTS/FOUNDATION FLOOD VENTS

REPORT HOLDER:

USA FLOOD AIR VENTS, LTD.

63 PUTNAM STREET, SUITE 202 SARATOGA SPRINGS, NEW YORK 12866

EVALUATION SUBJECT:


USA FLOOD AIR VENTS: MODELS FOSS; FASS; FOAL; FAAL; ROAL



Look for the trusted marks of Conformity!

"2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence"





ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.

5.0 CONDITIONS OF USE

The USA Flood Air Vents described in this report complies with, or is a suitable alternative to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

- 5.1 The USA Flood Air Vents flood vents must be installed in accordance with this report, the applicable code and the manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern.
- 5.2 The USA Flood Air Vents flood vents must not be used in place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.

6.0 EVIDENCE SUBMITTED

Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015.

7.0 IDENTIFICATION

The USA Flood Air Vents models recognized in this report are identified by a label bearing the manufacturer's name, the model designation, and the evaluation report number (ESR-3907).

TABLE 1-USA FLOOD AIR VENTS

MODEL DESIGNATION	VENT SIZE (Width x Height) (in)	ROUGH OPENING SIZE (Width x Height) (in)	ENGLOSED AREA COVERAGE (ft²)	FLAP NET FREE AREA ¹ (in ²)
FQ\$\$	18 x 10	15 ¹ / ₂ x 7 ¹ / ₂	252	None
FASS	18 x 10	15 ¹ / ₂ x 7 ¹ / ₂	252	28
FOAL	18 x 10	15 1/2 x 7 1/2	252	None
FAAL	18 x 10	151/2 × 71/2	252	37
ROAL	16% x 10	13'/ ₈ × 7'/ ₂	224	None

For SI: 1 inch = 25.4 mm

¹Net free area in the vent flap for under-floor space ventilation.




FIGURE 1-USA FLOOD AIR VENTS