U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSU	RANCE COMPANY USE	
A1. Building Owner's Name DAVCO CONSTRUCTION, INC.	Policy Num	ber:	
 A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1 S. BARCLAY AVENUE 	Company N	IAIC Number:	
City State MARGATE New Jersey	ZIP Code 08402		
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) LOT 3, BLOCK 102.01			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL			
A5. Latitude/Longitude: Lat. 39.33222 Long74.49417 Horizontal Datu	ım: NAD 1	1927 × NAD 1983	
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insu	irance.		
A7. Building Diagram Number7			
A8. For a building with a crawlspace or enclosure(s):			
a) Square footage of crawlspace or enclosure(s) 494.00 sq ft			
b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot abov	e adjacent gra	ade 3	
c) Total net area of flood openings in A8.bsq in			
d) Engineered flood openings? X Yes No	*		
A9. For a building with an attached garage:			
a) Square footage of attached garage 388.40 sq ft			
b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent	grade 2	- I	
c) Total net area of flood openings in A9.b 410.00 sq in			
d) Engineered flood openings? X Yes No			
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORM	ATION /	18-239	
B1. NFIP Community Name & Community Number B2. County Name		B3. State	
CITY OF MARGATE 345304 ATLANTIC		New Jersey	
	Base Flood E (Zone AO, use	levation(s) e Base Flood Depth)	
34001C0453 F 08-28-2018 08-28-2018 AE 10.0)		
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: ☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other/Source:			
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:			
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? 🗌 Yes 🖂 No			
Designation Date: CBRS OPA			

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/or 1 S. BARCLAY AVENUE	Policy Number:			
City State MARGATE New	ZIP (Jersey 0840	1	Company NAIC Number	
SECTION C - BUILDING ELE	VATION INFORMAT	ION (SURVEY RE	:QUIRED)	
C1. Building elevations are based on: Construction Drawings* Building Under Construction* X Finished Construction *A new Elevation Certificate will be required when construction of the building is complete.				
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), \ Complete Items C2.a–h below according to the build Benchmark Utilized: LOCAL BENCH	ing diagram specified ir Vertical Datum:	Item A7. In Puerto	Rico only, enter meters.	
Indicate elevation datum used for the elevations in ite	ems a) through h) belov	1.		
☐ NGVD 1929 区 NAVD 1988 ☐ Other/S Datum used for building elevations must be the same				
Datum used for building elevations must be the same	as that used for the b		Check the measurement used.	
a) Top of bottom floor (including basement, crawlspa	ace, or enclosure floor)		6.47 × feet meters	
b) Top of the next higher floor		***************************************	15.67 X feet meters	
c) Bottom of the lowest horizontal structural member	(V Zones only)		N/A feet meters	
d) Attached garage (top of slab)			6.47 X feet meters	
e) Lowest elevation of machinery or equipment serv (Describe type of equipment and location in Comr	icing the building ments)		15.73 × feet meters	
f) Lowest adjacent (finished) grade next to building	(LAG)		6.31 X feet meters	
g) Highest adjacent (finished) grade next to building	(HAG)		6.43 X feet meters	
h) Lowest adjacent grade at lowest elevation of deck structural support	k or stairs, including		6.25 X feet meters	
SECTION D – SURVEYOR,	ENGINEER, OR ARC	HITECT CERTIFI	CATION /8-239	
This certification is to be signed and sealed by a land survivors of the certification on this Certificate represents statement may be punishable by fine or imprisonment und	my best efforts to interi	oret the data availa	law to certify elevation information.	
Were latitude and longitude in Section A provided by a lic				
Certifier's Name HOWARD A. TRANSUE	License Number GS33541			
Title PROFESSIONAL LAND SURVEYOR			<i>G53354 </i> Place	
Company Name SCHAEFFER NASSAR SCHEIDEGG, CE, LLC		×	Seal	
Address 1425 CANTILLON BOULEVARD			Here	
City MAYS LANDING	State New Jersey	ZIP Code 08330	2/7/2019	
Signature AAA	Date 08-07-2019	Telephone (609) 625-7400	Ext.	
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.				
Comments (including type of equipment and location, per C2(e), if applicable) ITEM A8b VENTS ARE CRAWL SPACE DOOR SYSTEMS FLOOD VENTS MODEL 816CS RATED AT 205 SQ. IN. EACH. ITEM C2e IS THE A.C. PAD.				

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the correspondi	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, Suite, and 1 S. BARCLAY AVENUE	or Bldg. No.) or P.O. f	Route and Box No.	Policy Number:		
		ZIP Code 08402	Company NAIC Number		
SECTION E – BUILDING ELE FOR ZONE	VATION INFORMA AO AND ZONE A (\	TION (SURVEY NOT WITHOUT BFE)	REQUIRED)		
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below					
the highest adjacent grade (HAG) and the lowest at a) Top of bottom floor (including basement, crawlspace, or enclosure) is	ujacent grade (LAG).		s above or below the HAG.		
 b) Top of bottom floor (including basement, crawlspace, or enclosure) is 		feet meter			
E2. For Building Diagrams 6–9 with permanent flood op the next higher floor (elevation C2.b in the diagrams) of the building is	enings provided in Se	ction A Items 8 and/or			
E3. Attached garage (top of slab) is		feet meter	s above or below the HAG.		
E4. Top of platform of machinery and/or equipment servicing the building is		feet meter	s above or below the HAG.		
E5. Zone AO only: If no flood depth number is available floodplain management ordinance? Yes	, is the top of the botto No Unknown.	om floor elevated in act The local official must o	cordance with the community's certify this information in Section G.		
SECTION F - PROPERTY OWN	ER (OR OWNER'S RI	EPRESENTATIVE) CE	RTIFICATION 18-239		
The property owner or owner's authorized representative community-issued BFE) or Zone AO must sign here. The	e who completes Secti e statements in Sectio	ons A, B, and E for Zo ns A, B, and E are cor	ne A (without a FEMA-issued or		
Property Owner or Owner's Authorized Representative's	Name		, ,		
Address	City	Sta	ate ZIP Code		
Signature	Date	Te	lephone		
Comments					
	6				
			Check here if attachments.		

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1 S. BARCLAY AVENUE			Policy Number:	
City State		ZIP Code	Company NAIC Number	
		08402		
SECTION G - COMI	MUNITY INFORM	MATION (OPTIONAL)	18-239	
The local official who is authorized by law or ordinance to ac Sections A, B, C (or E), and G of this Elevation Certificate. Cused in Items G8–G10. In Puerto Rico only, enter meters.	dminister the con Complete the app	nmunity's floodplain ma llicable item(s) and sig	inagement ordinance can complete n below. Check the measurement	
G1. The information in Section C was taken from other engineer, or architect who is authorized by law to data in the Comments area below.)	certify elevation i	nformation. (Indicate th	ne source and date of the elevation	
G2. A community official completed Section E for a but or Zone AO.				
G3. The following information (Items G4–G10) is provi	ided for commun	ty floodplain managen	nent purposes.	
G4. Permit Number G5. Date F	Permit Issued		Date Certificate of Compliance/Occupancy Issued	
G7. This permit has been issued for: New Const	truction Subs	antial Improvement		
G8. Elevation of as-built lowest floor (including basement) of the building:		fee	t meters Datum	
G9. BFE or (in Zone AO) depth of flooding at the building s	site:	fee	t meters Datum	
G10. Community's design flood elevation:		fee	t meters Datum	
Local Official's Name In Calant	Title	CF	M	
Community Name MANGATE	Tele	phone 609	E/16/15	
Signature	Date	1	,	
C2C(8/16/15	
Comments (including type of equipment and location, per C.	2(e), if applicable			
			Check here if attachments.	

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these s	paces, copy the corr	esponding information	from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1 S. BARCLAY AVENUE			Policy Number:	
City	1-	State	ZIP Code	Company NAIC Number
MARGATE		New Jersey	08402	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT VIEW AND RIGHT SIDE VIEW

18-239

Clear Photo One



Photo Two

Photo Two Caption FRONT VIEW AND LEFT SIDE VIEW

Clear Photo Two

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1 S. BARCLAY AVENUE			Policy Number:
City	State	ZIP Code	Company NAIC Number
MARGATE	New Jersey	08402	1 2

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption REAR VIEW

18-239

Clear Photo Three



Photo Four

Photo Four Caption CRAWL SPACE DOOR SYSTEMS FLOOD VENT MODEL 816CS TYPICAL OF 5

Clear Photo Four

Certification of Engineered Flood Openings

In accordance with the Code of Federal Regulations for the National Flood Insurance Program

I hereby certify that the Crawl Space Door Systems flood vents 816CS, 1220CS, 1232CS, 1616CS, 1624CS, 1632CS, 2032CS, 2424CS, and 2436CS are designed are designed in accordance with the requirements of the Code of Federal Regulations for the National Flood Insurance Program (NFIP) to provide automatic equalization of hydrostatic flood forces by allowing for the entry and exit of floodwaters, when properly installed and sized as set forth below. Vent opening measurements were measured and certified by Mr. Christopher Mark Loney, Virginia P.E. NO. 029000. Detailed calculations were prepared as outlined in "Review of certification of Engineered Flood Openings," prepared by Dr. Georg Reichard, Associate Professor of Building Construction, Virginia Tech (available upon request from Crawl Space Door Systems, Inc. billy@crawlspacedoors.com)

Design Characteristics

Section 2.6.2.2 of ASCE/SEI 24-05 provides an equation to determine the required net area of engineered openings (A_o) for a given enclosed area (Ae). This equation is based on the hydraulic formula for the flow rate across sharp edged orifices. I have utilized this equation to calculate 1) the restricted flow rate through the main frame opening in case the louver is blown out during a flood event; 2) the flow rate through the individual openings between louver blades; and 3) the flow rate through projected openings between louver blades following hydraulic short-tube theory. The maximum total enclosed area (A_e) that can be serviced by a single vent has then been determined by utilizing the lowest flow rate of the three assessed scenarios for each vent and is listed in Table 1. These values are based on the following assumptions:

- In absence of reliable data, the rates of rise and fall have been assumed at a minimum rate of 5 feet/hour;
- The (maximum) difference between the exterior and interior floodwater levels shall not exceed 1 foot during base flood conditions;
- A factor of safety of 5 has been assumed, which is consistent with design practices related to protection of life and property;
- The net area of openings (A_o) as provided by the manufacturer.

Model	HxW	Ao	Ae
	[in]	[in ²]	[ft ²]
816CS	8 x 16	105	205
1220CS	12 x 20	235	500
1232CS	12 x 32	305	645
1616CS	16 x 16	180	395
1624CS	16 x 24	310	670
1632CS	16 x 32	405	835
2032CS	20 x 32	630	1240
2424CS	24 x 24	570	1230
2436CS	24 x 36	850	1765
	816CS 1220CS 1232CS 1616CS 1624CS 1632CS 2032CS 2424CS	Since Final Since Sinc	Sin Sin

Table 1 Maximum total enclosed area (A_e) that can be serviced by each individual model based on the given $\underline{\text{net}}$ area of engineered openings (A $_{o}$)

Installation Requirements and Limitations

This certification will be voided if the following installation requirements and limitations are not enforced:

- There shall be a minimum of two openings on different sides of each enclosed area subject to flooding;
- The bottom of all openings shall be no higher than one foot
- above the higher of the interior or exterior grade that is immediately under each opening;
- No temporary (e.g. during cold weather) or permanent solid cover may be placed into or over the flood vent that would block the automatic entry or exit of floodwaters at any time; Where data or analyses indicate more rapid rates of rise and fall, the required number of openings shall be increased to account
- for those different conditions. The number or size of the openings may be decreased if data or analyses indicate rates of rise

Certifying Design Professional		
Name WILLIAM S. SWIDERSKI, P.E.	Title ENGINEER	
Company SWIDERSKI ASSSOCIATES		
Address 599 SHORE ROAD SOMERS POINT, NJ		
License PROFESSIONAL ENGINEER	License No. 24GE02048200	
Signature:	Date:	
Identification of the Building and Installed Flo	od Vents (By Others)	

The flood vent models marked in Table 1*) are being installed at the following building:

Building Address

S, BARCLAY AVENUE MARGATE

Spring 2012