16-0154

OMB No. 1660-0008

Expiration Date: November 30, 2018

### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

## **ELEVATION CERTIFICATE**

Important: Follow the instructions on pages 1–9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

					FOR INSURANCE COMPANY USE		
A1. Building Owner's Name  SCHIFF  Policy Number:						ber:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Company NAIC Number: 100 SOUTH PEMBROKE AVENUE							IAIC Number:
City MARGATE				State New Jersey		ZIP Code 08402	
A3. Property Descrip BLOCK 17 LOT 10	ition (Lot ar	id Block Numbers, Tax	Parce	l Number, Legal De	scription, etc.)		
A4. Building Use (e.g	g., Resident	ial, Non-Residential, A	ddition	, Accessory, etc.)	RESIDENTIAL	W. W. C. S.	
A5. Latitude/Longitud	de: Lat. <u>39</u>	9 19' 27.5"	ong.	74 30' 20.1"	Horizontal Datum	: 🔲 NAD 1	927 × NAD 1983
A6. Attach at least 2	photograph	s of the building if the	Certific	cate is being used to	o obtain flood insura	nce.	
A7. Building Diagram	Number	8					
A8. For a building wit	th a crawlsp	pace or enclosure(s):					
a) Square footag	ge of crawls	pace or enclosure(s)		1,188 sq ft			
b) Number of pe	rmanent flo	od openings in the cra	wlspac	e or enclosure(s) w	ithin 1.0 foot above	adjacent gra	ade6
c) Total net area	of flood op	enings in A8.b1,20	00 s	sq in			
d) Engineered flo	ood opening	gs? 🗵 Yes 🗌 No					
A9. For a building with	h an attach	ed garage:					
a) Square footag	ge of attach	ed garage0		sq ft			
b) Number of pe	rmanent flo	od openings in the atta	ached (	garage within 1.0 foo	ot above adjacent g	rade	0
c) Total net area	of flood op	enings in A9.b	0	sq in			
d) Engineered flo				- '			
a) Engineered in		,o	-				
	SE	CTION B - FLOOD IN	SURA	NCE RATE MAP	(FIRM) INFORMA	TION	
B1. NFIP Community MARGATE		ommunity Number		B2. County Name ATLANTIC			B3. State New Jersey
B4. Map/Panel E Number	35. Suffix	B6. FIRM Index Date	E	IRM Panel ffective/ evised Date	B8. Flood Zone(s)	(Zoı	se Flood Elevation(s) ne AO, use Base od Depth)
345304/0001 C		07/21/1974		1/1983	A-8	10.00	. ,
B10. Indicate the sou	rce of the E	Base Flood Elevation (I	BFE) d	ata or base flood de	epth entered in Item	B9:	
☐ FIS Profile ☒ FIRM ☐ Community Determined ☐ Other/Source:							
B11. Indicate elevation	on datum us	ed for BFE in Item B9	: 🗵 N	GVD 1929 🔲 NA	.VD 1988 ☐ Oth	er/Source:	
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No							
Designation Date: CBRS OPA							
		•					

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding informatio	n from Section A.		FOR INSU	RANC	E COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) of 100 SOUTH PEMBROKE AVENUE	or P.O. Route and Box I	No.	Policy Num	iber:	
City State MARGATE New Jersey	ZIP Code 08402		Company N	VAIC N	lumber
SECTION C – BUILDING ELEVATION I	NFORMATION (SUR)	/EY RE	QUIRED)		
C1. Building elevations are based on: Construction Drawings *A new Elevation Certificate will be required when construction of C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30 Complete Items C2.a–h below according to the building diagram	of the building is comple b, V (with BFE), AR, AR n specified in Item A7. In	ete. /A, AR// n Puerto	— AE, AR/A1–	A30, A	ned Construction  AR/AH, AR/AO. meters.
	cal Datum: <u>NGVD 1929</u>	<del>)</del>			
Indicate elevation datum used for the elevations in items a) throus NGVD 1929  NAVD 1988  Other/Source:  Datum used for building elevations must be the same as that us			Charle		
a) Top of bottom floor (including basement, crawlspace, or encl	osure floor) 8	3 84		ne me feet	asurement used.  meters
b) Top of the next higher floor		-• 3 <sub>.</sub> 54	X	feet	☐ meters
	NI/A			feet	☐ meters
<ul><li>c) Bottom of the lowest horizontal structural member (V Zones of Attached garage (top of slab)</li></ul>	N/A		\_ \_	feet	☐ meters
e) Lowest elevation of machinery or equipment servicing the bu     (Describe type of equipment and location in Comments)	***	. 64	X	feet	meters meters
f) Lowest adjacent (finished) grade next to building (LAG)	8	3. 0	×	feet	meters
g) Highest adjacent (finished) grade next to building (HAG)	. 8	3 <sub>.</sub> 94	_	feet	☐ meters
h) Lowest adjacent grade at lowest elevation of deck or stairs, i structural support		3. 23	🗵	feet	meters
SECTION D – SURVEYOR, ENGINEE	R, OR ARCHITECT C	ERTIFI	CATION		
This certification is to be signed and sealed by a land surveyor, enging a land the information on this Certificate represents my best effective statement may be punishable by fine or imprisonment under 18 U.S.	orts to interpret the data	rized by a availa	law to certible. I unders	fy elev	ation information. hat any false
Were latitude and longitude in Section A provided by a licensed land		□No	⊠ Che	ck here	e if attachments.
Certifier's Name License N DANIEL J. PONZIO, SR. GS37603	umber				
Title PROFESSIONAL LAND SURVEYOR				F70.1	
Company Name ARTHUR W. PONZIO CO. & ASSOC., HNC.				Pla Se He	
Address 400 NORTH DOVER AVENUE				110	,,,,
City State ATLANTIC CITY New Jerse					
Signature Date 07/18/201	` ,	-8194	·		
Copy all pages of this Elevation Certificate and all attachments for (1) co		urance a	agent/compa	ny, an	d (3) building owner.
Comments (including type of equipment and location, per C2(e), if ap	plicable)				
PROJECT #32608 *DUCT WORK HEATER ELEV = 13.54'	SMART VENT MOI	DEL #15	540-510		

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the correspon	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, Suite, at 8706 ATLANTIC AVENUE	oute and Box No.	Policy Number:			
City MARGATE		IP Code 3402	Company NAIC Number		
SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)					
For Zones AO and A (without BFE), complete Items E complete Sections A, B,and C. For Items E1–E4, use enter meters.	natural grade, if available	e. Check the measure	ment used. In Puerto Rico only,		
<ul><li>E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).</li><li>a) Top of bottom floor (including basement,</li></ul>					
crawlspace, or enclosure) is b) Top of bottom floor (including basement,		_	s 🔲 above or 🔲 below the HAG.		
crawlspace, or enclosure) is		_	Learning .		
E2. For Building Diagrams 6–9 with permanent flood the next higher floor (elevation C2.b in the diagrams) of the building is	openings provided in Sec	ction A items 8 and/or			
E3. Attached garage (top of slab) is		_	s 🔲 above or 🔲 below the HAG.		
E4. Top of platform of machinery and/or equipment servicing the building is		_	s 🔲 above or 🔲 below the HAG.		
E5. Zone AO only: If no flood depth number is availal floodplain management ordinance? Yes	ble, is the top of the botto  No Unknown T	m floor elevated in ac he local official must o	cordance with the community's certify this information in Section G.		
SECTION F - PROPERTY OV	VNER (OR OWNER'S RE	PRESENTATIVE) CE	RTIFICATION		
The property owner or owner's authorized representations community-issued BFE) or Zone AO must sign here.	tive who completes Section The statements in Section	ons A, B, and E for Zons A, B, and E are cor	ne A (without a FEMA-issued or rect to the best of my knowledge.		
Property Owner or Owner's Authorized Representative	o'e Namo				
, report, comment of the comment of	e 3 Name				
Address	City	Sta	ate ZIP Code		
			ate ZIP Code lephone		
Address	City				
Address Signature	City				
Address Signature	City				
Address Signature	City				
Address Signature	City				
Address Signature	City				
Address Signature	City				
Address Signature	City				
Address Signature	City				

# **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

MDODTANT: In these spaces, copy the corres	FOR INSURANCE COMPANY USE				
MPORTANT: In these spaces, copy the corresponding information from Section A.  FOR INSURANCE COMPANY US Policy Number:					
8706 ATLANTIC AVENUE	,				
	State	ZIP Code	Company NAIC Number		
City MARGATE	New Jersey	08402			
	N G - COMMUNITY INFO	RMATION (OPTIONAL)			
			and and annual complete		
The local official who is authorized by law or ord Sections A, B, C (or E), and G of this Elevation 0 used in Items G8–G10. In Puerto Rico only, enter G1.   The information in Section C was take engineer, or architect who is authorized.	er meters.	on that has been signed a	and sealed by a licensed surveyor.		
data in the Comments area below.)					
G2. A community official completed occurs or Zone AO.  The following information (Items G4–6)					
G3. The following information (Items G4–G	(10) is provided for comm		,		
G4. Permit Number	G5. Date Permit Issued	G6.	Date Certificate of Compliance/Occupancy Issued		
G7. This permit has been issued for:	New Construction  Su	ubstantial Improvement			
G8. Elevation of as-built lowest floor (including of the building:	basement)	fee	et meters Datum		
G9. BFE or (in Zone AO) depth of flooding at the building site: feet meters Datum					
G10. Community's design flood elevation:		fee	et		
Local Official's Name	T	Title			
Community Name Telephone					
Signature	7	Date ()/1			
Comments (including type of equipment and loc	cation, per C2(e), it applic	able)			
,					
			Check here if attachments.		

## **BUILDING PHOTOGRAPHS**

## **ELEVATION CERTIFICATE**

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy th	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., 8706 ATLANTIC AVENUE	Policy Number:		
City MARGATE	State New Jersey	ZIP Code 08402	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT VIEW 7/17/17



Photo Two

Photo Two Caption RIGHT SIDE VIEW 7/17/17

## **BUILDING PHOTOGRAPHS**

## **ELEVATION CERTIFICATE**

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.				
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 8706 ATLANTIC AVENUE				
tate	ZIP Code	Company NAIC Number		
t		tate ZIP Code		

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.




Photo One

Photo One Caption LEFT SIDE VIEW 7/17/17



Photo Two

Photo Two Caption SMART VENT MODEL #1540-510 7/17/17



**DIVISION: 08 00 00—OPENINGS** 

SECTION: 08 95 43—VENTS/FOUNDATION FLOOD VENTS

#### REPORT HOLDER:

## **SMARTVENT PRODUCTS, INC.**

430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071

#### **EVALUATION SUBJECT:**

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514



Look for the trusted marks of Conformity!

"2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence"



ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.







## **ICC-ES Evaluation Report**

#### ESR-2074

Reissued February 2017 Revised November 2017

This report is subject to renewal February 2019.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00-OPENINGS

Section: 08 95 43-Vents/Foundation Flood Vents

#### REPORT HOLDER:

SMARTVENT PRODUCTS, INC. 430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071 (877) 441-8368 www.smartvent.com info@smartvent.com

#### **EVALUATION SUBJECT:**

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514

#### 1.0 EVALUATION SCOPE

#### Compliance with the following codes:

- 2015, 2012, 2009 and 2006 International Building Code® (IBC)
- 2015, 2012, 2009 and 2006 International Residential Code® (IRC)
- 2013 Abu Dhabi International Building Code (ADIBC)<sup>†</sup>

<sup>†</sup>The ADIBC is based on the 2009 IBC. 2009 IBC code sections referenced in this report are the same sections in the ADIBC.

#### Properties evaluated:

- Physical operation
- Water flow

### 2.0 USES

The Smart Vent<sup>®</sup> units are engineered mechanically operated flood vents (FVs) employed to equalize hydrostatic pressure on walls of enclosures subject to rising or falling flood waters. Certain models also allow natural ventilation.

#### 3.0 DESCRIPTION

#### 3.1 General:

When subjected to rising water, the Smart Vent<sup>®</sup> FVs internal floats are activated, then pivot open to allow flow in either direction to equalize water level and hydrostatic pressure from one side of the foundation to the other. The FV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water,

the buoyant release device causes the unit to unlatch, allowing the door to rotate out of the way and allow flow. The water level stabilizes, equalizing the lateral forces. Each unit is fabricated from stainless steel. Smart Vent® Automatic Foundation Flood Vents are available in various models and sizes as described in Table 1. The SmartVENT® Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 units each contain two vertically arranged openings per unit.

#### 3.2 Engineered Opening:

The FVs comply with the design principle noted in Section 2.7.2.2 and Section 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)] for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Smart Vent FVs must be installed in accordance with Section 4.0.

#### 3.3 Ventilation:

The SmartVENT® Model #1540-510 and SmartVENT® Overhead Door Model #1540-514 both have screen covers with \$^1\_{4}\$-inch-by- $^1_{4}$-inch (6.35 by 6.35 mm)$ openings, yielding 51 square inches (32 903 mm²) of net free area to supply natural ventilation. The SmartVENT® Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65 806 mm²) of net free area to supply natural ventilation. Other FVs recognized in this report do not offer natural ventilation.$ 

#### 4.0 DESIGN AND INSTALLATION

SmartVENT® and FloodVENT® are designed to be installed into walls or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. Installation clips allow mounting in masonry and concrete walls of any thickness. In order to comply with the engineered opening design principle noted in Section 2.7.2.2 and 2.7.3 of ASCE/SEI 24-04 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)], the Smart Vent® FVs must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 200 square feet (18.6 m²) of enclosed area, except that the SmartVENT® Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 must be

installed with a minimum of one FV for every 400 square feet (37.2 m²) of enclosed area.

- Below the base flood elevation.
- With the bottom of the FV located a maximum of 12 inches (305.4 mm) above the higher of the final grade or floor and finished exterior grade immediately under each opening.

#### 5.0 CONDITIONS OF USE

The Smart Vent® FVs described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

5.1 The Smart Vent® FVs must be installed in accordance with this report, the applicable code and the manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern. 5.2 The Smart Vent® FVs must not be used in the place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.

#### 6.0 EVIDENCE SUBMITTED

Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015.

#### 7.0 IDENTIFICATION

The Smart VENT® models recognized in this report must be identified by a label bearing the manufacturer's name (Smartvent Products, Inc.), the model number, and the evaluation report number (ESR-2074).

**TABLE 1—MODEL SIZES** 

MODEL NAME	MODEL NUMBER	MODEL SIZE (in.)	COVERAGE (sq. ft.) 200	
FloodVENT <sup>®</sup>	1540-520	15 <sup>3</sup> / <sub>4</sub> " X 7 <sup>3</sup> / <sub>4</sub> "		
SmartVENT <sup>®</sup>	1540-510	15 <sup>3</sup> / <sub>4</sub> " X 7 <sup>3</sup> / <sub>4</sub> "	200	
FloodVENT <sup>®</sup> Overhead Door	1540-524	15 <sup>3</sup> / <sub>4</sub> " X 7 <sup>3</sup> / <sub>4</sub> "	200	
SmartVENT® Overhead Door	1540-514	15 <sup>3</sup> / <sub>4</sub> " X 7 <sup>3</sup> / <sub>4</sub> "	200	
Wood Wall FloodVENT®	1540-570	14" X 8 <sup>3</sup> / <sub>4</sub> "	200	
Wood Wall FloodVENT® Overhead Door	1540-574	14" X 8 <sup>3</sup> / <sub>4</sub> "	200	
SmartVENT <sup>®</sup> Stacker	1540-511	16" X 16"	400	
FloodVent <sup>®</sup> Stacker	1540-521	16" X 16"	400	

For SI: 1 inch = 25.4 mm; 1 square foot = m<sup>2</sup>




FIGURE 1-SMART VENT: MODEL 1540-510




FIGURE 2-SMART VENT MODEL 1540-520




FIGURE 3—SMART VENT: SHOWN WITH FLOOD DOOR PIVOTED OPEN