U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE			
A1. Building Owner's Name Bayshore Builders	Policy Number:			
 A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 208 N. Kenyon Avenue 	Company NAIC Number:			
City State Margate New Jersey	ZIP Code 08402			
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc Block 413.02, Lot 18	2.)			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential	I .			
A5. Latitude/Longitude: Lat. N 39°19'58.0" Long. W 74°30'34.5" Horizontal	Datum: ☐ NAD 1927 ☐ NAD 1983			
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain floor	I insurance.			
A7. Building Diagram Number8_				
A8. For a building with a crawlspace or enclosure(s):				
a) Square footage of crawlspace or enclosure(s) 982.00 sq ft				
b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot	above adjacent grade 7			
c) Total net area of flood openings in A8.b sq in				
d) Engineered flood openings? 🗵 Yes 🗌 No				
A9. For a building with an attached garage:				
a) Square footage of attached garageN/A sq ft				
b) Number of permanent flood openings in the attached garage within 1.0 foot above adja	cent grade N/A			
c) Total net area of flood openings in A9.b N/A sq in				
d) Engineered flood openings? Yes No				
SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFO	ODMATION .			
B1. NFIP Community Name & Community Number B2. County Name	B3. State			
Margate 345304 Atlantic	New Jersey			
B4. Map/Panel Number B5. Suffix B6. FIRM Index Date B7. FIRM Panel Effective/ Revised Date B8. Flood Zone(s)	B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth)			
34001C434 F 08-28-2018 08-28-2018 AE	8.00			
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered ☐ FIS Profile ☑ FIRM ☐ Community Determined ☐ Other/Source:	in Item B9:			
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 [Other/Source:			
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No				
Designation Date: CBRS OPA				

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

MPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 208 N. Kenyon Avenue				Policy Number:		
	ate ZI	P Code	Compa	any NAIC I	Number	
Margate Ne	w Jersey 08	3402	,	-		
SECTION C – BUILDING EI	EVATION INFORM	ATION (SURVEY R	EQUIRE	ED)		
 C1. Building elevations are based on: Constructing Teach Constructing Teach Constructing Teach Construction C2. Elevations – Zones A1–A30, AE, AH, A (with BFE) Complete Items C2.a—h below according to the build Benchmark Utilized: Local BM Indicate elevation datum used for the elevations in 	construction of the buil , VE, V1–V30, V (with Iding diagram specifie Vertical Datur	BFE), AR, AR/A, AR/ d in Item A7. In Puert m: <u>NAVD 1988</u>	'AE. AR.	— /A1–A30. /	ned Construction AR/AH, AR/AO. meters.	
		iow.				
Datum used for building elevations must be the sar	/Source: ne as that used for the	BFE.				
a) Tan of hottom floor (including hosement around			5.3		easurement used.	
a) Top of bottom floor (including basement, crawls	pace, or enclosure no	or)		⊠ feet	∐ meters	
b) Top of the next higher floor			13.0	✓ feet	meters	
c) Bottom of the lowest horizontal structural memb	er (V Zones only)		N/A	feet	meters meters	
d) Attached garage (top of slab)			N/A	feet	meters meters	
 e) Lowest elevation of machinery or equipment se (Describe type of equipment and location in Cor 	rvicing the building nments)		13.0	✓ feet	meters	
f) Lowest adjacent (finished) grade next to building	g (LAG)		5.3		meters	
g) Highest adjacent (finished) grade next to buildin	g (HAG)		5.5	✓ feet	meters	
 h) Lowest adjacent grade at lowest elevation of de structural support 	ck or stairs, including		5.0		☐ meters	
SECTION D - SURVEYOR	, ENGINEER, OR A	RCHITECT CERTIFI	CATIO	N		
This certification is to be signed and sealed by a land su I certify that the information on this Certificate represent statement may be punishable by fine or imprisonment un	rveyor, engineer, or a	rchitect authorized by	law to	certify alov	ation information. that any false	
Were latitude and longitude in Section A provided by a l	icensed land surveyor	? ⊠Yes □No		Check here	e if attachments.	
Certifier's Name James R. Boney, PLS	License Number 24GS03126400					
Title Professional Land Surveyor						
Company Name James R. Boney & Assoc.			_		ace	
Address					eal	
13 Stone Mill Court					ere	
City Egg Harbor Township	State New Jersey	ZIP Code 08234				
Signature	Date 05-26-2020	Telephone (609) 788-8013	Ext.			
Copy all pages of this Elevation Certificate and all attachme		official, (2) insurance a	gent/co	mpany, and	d (3) building owner.	
Comments (including type of equipment and location, pe 2.5 story frame dwelling on a crawlspace. All mechanica 1540-510 installed.	r C2(e), if applicable) Is are at or above the	FF elevation. The cra	wlspace	has Smar	t Vents Model	
					l	

ELEVATION CERTIFICATE

OMB No. 1660-0008

Expiration Date: November 30, 2022 IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: 208 N. Kenvon Avenue City State ZIP Code Company NAIC Number Margate New Jersev 08402 SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters above or below the HAG. b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters above or below the LAG. E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1-2 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is feet meters above or below the HAG. E3. Attached garage (top of slab) is feet meters above or below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is feet meters above or below the HAG. E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?

Yes

No

Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name Address City State ZIP Code Signature Date Telephone Comments Check here if attachments.

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corr	FOR INSURANCE COMPANY USE			
			Policy Number:	
City Margate	State New Jersey	ZIP Code 08402	Company NAIC Number	
SECTION	ON G - COMMUNITY INFO	RMATION (OPTIONAL)		
The local official who is authorized by law or or Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, en	Certificate. Complete the a	ommunity's floodplain ma pplicable item(s) and sign	nagement ordinance can complete n below. Check the measurement	
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)				
G2. A community official completed Section or Zone AO.	ion E for a building located i	n Zone A (without a FEM	A-issued or community-issued BFE)	
G3. The following information (Items G4-	-G10) is provided for commu	unity floodplain managem	ent purposes.	
G4. Permit Number	G5. Date Permit Issued		Date Certificate of Compliance/Occupancy Issued	
G7. This permit has been issued for:]New Construction ☐ Sub	estantial Improvement		
G8. Elevation of as-built lowest floor (including of the building:	g basement)	feet	meters Datum	
G9. BFE or (in Zone AO) depth of flooding at	the building site:	feet	meters Datum	
G10. Community's design flood elevation:		feet	meters Datum	
Local Official's Name	larfono Titl	CFI	7	
	Te U ANCAR	lephone 609	E22-1974	
Signature	A.G. Da	te	/cc/roce	
Comments (including type of equipment and loc	ation, per C2(e), if applicab	le)		
			☐ Check here if attachments.	

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy t	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.			Policy Number:
208 N. Kenyon Avenue			
City	State	ZIP Code	Company NAIC Number
Margate	New Jersey	08402	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption Front 04-15-20

Clear Photo One



Photo Two

Photo Two Caption Rear 04-15-20

Clear Photo Two


BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the correspon	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, a 208 N. Kenyon Avenue	Policy Number:		
City	State	ZIP Code	Company NAIC Number
Margate	New Jersey	08402	
If submitting more photographs than will fit on the with: date taken; "Front View" and "Rear View" photographs must show the foundation with representation	; and, if required, "R	ight Side View" and "L	eft Side View." When applicable.
	Photo Three		
Photo Three Caption			Clear Photo Three
	Photo Fou	r	
Dhata Faur Continu	Photo Four		
Photo Four Caption			Clear Photo Four



DIVISION: 08 00 00—OPENINGS

SECTION: 08 95 43—VENTS/FOUNDATION FLOOD VENTS

REPORT HOLDER:

SMARTVENT PRODUCTS, INC.

430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514



Look for the trusted marks of Conformity!

"2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence"



ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.







ICC-ES Evaluation Report

ESR-2074

Reissued February 2017 Revised November 2017

This report is subject to renewal February 2019.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00-OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

SMARTVENT PRODUCTS, INC. 430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071 (877) 441-8368 www.smartvent.com info@smartvent.com

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514

1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2015, 2012, 2009 and 2006 International Building Code® (IBC)
- 2015, 2012, 2009 and 2006 International Residential Code[®] (IRC)
- 2013 Abu Dhabi International Building Code (ADIBC)[†]

 $^{\dagger}\text{The ADIBC}$ is based on the 2009 IBC. 2009 IBC code sections referenced in this report are the same sections in the ADIBC.

Properties evaluated:

- Physical operation
- Water flow

2.0 USES

The Smart Vent[®] units are engineered mechanically operated flood vents (FVs) employed to equalize hydrostatic pressure on walls of enclosures subject to rising or falling flood waters. Certain models also allow natural ventilation.

3.0 DESCRIPTION

3.1 General:

When subjected to rising water, the Smart Vent[®] FVs internal floats are activated, then pivot open to allow flow in either direction to equalize water level and hydrostatic pressure from one side of the foundation to the other. The FV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water,

the buoyant release device causes the unit to unlatch, allowing the door to rotate out of the way and allow flow. The water level stabilizes, equalizing the lateral forces. Each unit is fabricated from stainless steel. Smart Vent® Automatic Foundation Flood Vents are available in various models and sizes as described in Table 1. The SmartVENT® Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 units each contain two vertically arranged openings per unit.

3.2 Engineered Opening:

The FVs comply with the design principle noted in Section 2.7.2.2 and Section 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)] for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Smart Vent FVs must be installed in accordance with Section 4.0.

3.3 Ventilation:

The SmartVENT® Model #1540-510 and SmartVENT® Overhead Door Model #1540-514 both have screen covers with \$^1/4\$-inch-by-\$^1/4\$-inch (6.35 by 6.35 mm) openings, yielding 51 square inches (32 903 mm²) of net free area to supply natural ventilation. The SmartVENT® Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65 806 mm²) of net free area to supply natural ventilation. Other FVs recognized in this report do not offer natural ventilation.

4.0 DESIGN AND INSTALLATION

SmartVENT® and FloodVENT® are designed to be installed into walls or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. Installation clips allow mounting in masonry and concrete walls of any thickness. In order to comply with the engineered opening design principle noted in Section 2.7.2.2 and 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)], the Smart Vent® FVs must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 200 square feet (18.6 m²) of enclosed area, except that the SmartVENT® Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 must be

installed with a minimum of one FV for every 400 square feet (37.2 m²) of enclosed area.

- Below the base flood elevation.
- With the bottom of the FV located a maximum of 12 inches (305.4 mm) above the higher of the final grade or floor and finished exterior grade immediately under each opening.

5.0 CONDITIONS OF USE

The Smart Vent[®] FVs described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

5.1 The Smart Vent[®] FVs must be installed in accordance with this report, the applicable code and the manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern. 5.2 The Smart Vent® FVs must not be used in the place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.

6.0 EVIDENCE SUBMITTED

Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015.

7.0 IDENTIFICATION

The Smart VENT® models recognized in this report must be identified by a label bearing the manufacturer's name (Smartvent Products, Inc.), the model number, and the evaluation report number (ESR-2074).

TABLE 1—MODEL SIZES

MODEL NAME	MODEL NUMBER	MODEL SIZE (in.)	COVERAGE (sq. ft.)
FloodVENT®	1540-520	15 ³ / ₄ " X 7 ³ / ₄ "	200
SmartVENT®	1540-510	15 ³ / ₄ " X 7 ³ / ₄ "	200
FloodVENT [®] Overhead Door	1540-524	15 ³ / ₄ " X 7 ³ / ₄ "	200
SmartVENT® Overhead Door	1540-514	15 ³ / ₄ " X 7 ³ / ₄ "	200
Wood Wall FloodVENT [®]	1540-570	14" X 8 ³ / ₄ "	200
Wood Wall FloodVENT® Overhead Door	1540-574	14" X 8 ³ / ₄ "	200
SmartVENT® Stacker	1540-511	16" X 16"	400
FloodVent [®] Stacker	1540-521	16" X 16"	400

For SI: 1 inch = 25.4 mm; 1 square foot = m²




FIGURE 1—SMART VENT: MODEL 1540-510




FIGURE 2—SMART VENT MODEL 1540-520




FIGURE 3—SMART VENT: SHOWN WITH FLOOD DOOR PIVOTED OPEN