### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

## **ELEVATION CERTIFICATE**

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

	SEC	TION A - PROPERTY	INFORI	WATION		FOR INSU	RANCE COMPANY USE
A1. Building Own						Policy Nur	nber:
A2. Building Stree Box No. 308 N. CLERMON		cluding Apt., Unit, Suit	te, and/or	Bldg. No.) o	r P.O. Route and	Company	NAIC Number:
City MARGATE				State New Jer	sey	ZIP Code 08402	
A3. Property Desc LOT 13, BLOCK 5		nd Block Numbers, Ta	ax Parcel	Number, Le	gal Description,	etc.)	
A4. Building Use	(e.g., Resider	ntial, Non-Residential,	Addition,	Accessory,	etc.) RESIDE	NTIAL	
A5. Latitude/Long	itude: Lat. 3	9.33639	Long7	4.50056	Horizon	tal Datum:  NAD	1927 × NAD 1983
		hs of the building if th	e Certific	ate is being ι	used to obtain flo	ood insurance.	
A7. Building Diag							
		space or enclosure(s):					
a) Square for	tage of craw	lspace or enclosure(s)			967.60 sq ft		
b) Number of	permanent flo	ood openings in the cr	awlspace	e or enclosur	e(s) within 1.0 fo	ot above adjacent g	rade 5
		penings in A8.b					
		ngs? ☒ Yes ☐ I					
A9. For a building							
		ned garage					
b) Number of	permanent flo	ood openings in the a	ttached g	arage within	1.0 foot above a	djacent grade N/A	
c) Total net a	rea of flood o	penings in A9.b		N/A so	in		
d) Engineere	d flood openir	ngs? 🗌 Yes 🕱 I	No				
	SI	ECTION B - FLOOD	INSURA	NCE RATE	MAP (FIRM) IN	FORMATION	17-399
B1. NFIP Commu CITY OF MARGA		Community Number 304		B2. County ATLANTIC	Name		B3. State New Jersey
34. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effe	RM Panel ective/ vised Date	B8. Flood Zone(s)	B9. Base Flood (Zone AO, u	Elevation(s) se Base Flood Depth)
34001C0434	F	08-28-2018	08-28-2	2018	AE	8.0	
☐ FIS Profi	le 🗵 FIRM	Base Flood Elevation Community Deter	rmined [	Other/Sou	irce:		
				(000	'\ araa ar Othan	vise Protected Area	(ODA)2 Tives William
P12 le the buildin	a located in	a Chastal Barrier Pos		vetam II RP			(UPA)/   YAS IXI NII
B12. Is the building		a Coastal Barrier Res	ources S	ystem (CBRS	) area or Otherv	V150 1 10100104 7 1104	(OPA)? Tes X No

### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresp			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, 308 N. CLERMONT AVENUE	and/or Bldg. No.) or P.O.	Route and Box No.	Policy Number:
City MARGATE		ZIP Code 08402	Company NAIC Number
SECTION C – BUILDII	NG ELEVATION INFOR	MATION (SURVEY R	EQUIRED)
*A new Elevation Certificate will be required v	when construction of the b		
C2. Elevations – Zones A1–A30, AE, AH, A (with Complete Items C2.a–h below according to the Benchmark Utilized: LOCAL BENCH	he building diagram specif	th BFE), AR, AR/A, AR fied in Item A7. In Puer tum: NAVD 1988	/AE, AR/A1–A30, AR/AH, AR/AO. to Rico only, enter meters.
Indicate elevation datum used for the elevation	ons in items a) through h) I	pelow.	
☐ NGVD 1929 ☑ NAVD 1988 ☐ Datum used for building elevations must be the	Other/Source:		
Datum used for building elevations must be ti	ie same as that used for the	ne BFE.	Check the measurement used.
<ul> <li>a) Top of bottom floor (including basement, or</li> </ul>	crawlspace, or enclosure f	loor)	6.08 X feet meters
b) Top of the next higher floor			11.00 X feet meters
c) Bottom of the lowest horizontal structural i	member (V Zones only)		N/A  feet  meters
d) Attached garage (top of slab)			N/A feet meters
<ul> <li>e) Lowest elevation of machinery or equipmed (Describe type of equipment and location</li> </ul>	ent servicing the building in Comments)	· · · · · · · · · · · · · · · · · · ·	11.06 × feet meters
f) Lowest adjacent (finished) grade next to b	uilding (LAG)		6.46 X feet meters
g) Highest adjacent (finished) grade next to b	ouilding (HAG)		6.78 X feet meters
<ul> <li>h) Lowest adjacent grade at lowest elevation structural support</li> </ul>	of deck or stairs, including	g 	6.47 × feet meters
SECTION D - SURVE	YOR, ENGINEER, OR	ARCHITECT CERTIF	ICATION 17-399
This certification is to be signed and sealed by a la l certify that the information on this Certificate represented may be punishable by fine or imprisonm	esents my best efforts to i	nternret the data avails	law to certify elevation information.  Able. I understand that any false
Were latitude and longitude in Section A provided			
Certifier's Name HOWARD A. TRANSUE	License Number GS33541		
Title PROFESSIONAL LAND SURVEYOR			() \$33541 Place
Company Name SCHAEFFER NASSAR SCHEIDEGG, CE, LLC			Seal
Address 1425 CANTILLON BOULEVARD			Here
City MAYS LANDING	State New Jersey	ZIP Code 08330	10/4/2018
Signature AAA.	Date 10-04-2018	Telephone (609) 625-7400	Ext.
Copy all pages of this Elevation Certificate and all att	achments for (1) communit	y official, (2) insurance a	agent/company, and (3) building owner.
Comments (including type of equipment and location VENT ARE CRAWL SPACE DOOR SYSTEMS FLITEM C2e IS THE A.C. PAD.	on, per C2(e), if applicable OOD VENTS MODEL 816	) CS (4) AND 1632CS (	1).

#### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the correspond	ding information f	rom Section A.	FOR INSURANCE CO	OMPANY USE
Building Street Address (including Apt., Unit, Suite, an 308 N. CLERMONT AVENUE	d/or Bldg. No.) or I	P.O. Route and Box No.	Policy Number:	
City	State	ZIP Code	Company NAIC Numl	per
MARGATE	New Jersey	08402		
SECTION E – BUILDING EI FOR ZON		RMATION (SURVEY NO E A (WITHOUT BFE)	T REQUIRED)	
For Zones AO and A (without BFE), complete Items E complete Sections A, B,and C. For Items E1–E4, use enter meters.	natural grade, if av	ailable. Check the measu	rement used. In Puerto R	ico only,
<ul><li>E1. Provide elevation information for the following and the highest adjacent grade (HAG) and the lowest</li><li>a) Top of bottom floor (including basement,</li></ul>			ier the elevation is above	or below
crawlspace, or enclosure) is		feet met	ers 🗌 above or 🗌 be	elow the HAG.
<ul> <li>Top of bottom floor (including basement, crawlspace, or enclosure) is</li> </ul>		feet met	ers 🔲 above or 🔲 be	elow the LAG.
E2. For Building Diagrams 6–9 with permanent flood	openings provided	in Section A Items 8 and/o	or 9 (see pages 1–2 of In	structions),
the next higher floor (elevation C2.b in the diagrams) of the building is		feet _ met	ers above or be	elow the HAG.
E3. Attached garage (top of slab) is		feet met	ers 🔲 above or 🔲 be	elow the HAG.
E4. Top of platform of machinery and/or equipment servicing the building is			ers above or be	elow the HAG.
E5. Zone AO only: If no flood depth number is available floodplain management ordinance? Yes	ole, is the top of the	bottom floor elevated in a vn. The local official mus	accordance with the come t certify this information i	munity's n Section G.
SECTION F - PROPERTY OW	NER (OR OWNER	R'S REPRESENTATIVE)	CERTIFICATION 17-	399
The property owner or owner's authorized representat community-issued BFE) or Zone AO must sign here.	ive who completes he statements in S	Sections A, B, and E for 2 Sections A, B, and E are c	Zone A (without a FEMA-	issued or
Property Owner or Owner's Authorized Representative	e's Name			
Address	C	ity	State ZII	Code
Signature		ate	elephone	
			•	
Comments				

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the cor	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, S 308 N. CLERMONT AVENUE	Suite, and/or Bldg. No.) or	P.O. Route and Box No.	Policy Number:
City MARGATE	State New Jersey	ZIP Code 08402	Company NAIC Number
SECTI	ON G - COMMUNITY IN	FORMATION (OPTIONAL	17-399
The local official who is authorized by law or of Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, etc.	n Certificate. Complete th	e community's floodplain n e applicable item(s) and si	nanagement ordinance can complete ign below. Check the measurement
G1. The information in Section C was tal engineer, or architect who is authoridata in the Comments area below.)	ken from other document zed by law to certify eleva	ation that has been signed ation information. (Indicate	and sealed by a licensed surveyor, the source and date of the elevation
G2. A community official completed Secon Zone AO.	tion E for a building locate	ed in Zone A (without a FE	MA-issued or community-issued BFE)
G3. The following information (Items G4	-G10) is provided for con	nmunity floodplain manage	ment purposes.
G4. Permit Number	G5. Date Permit Issue	d G6.	Date Certificate of Compliance/Occupancy Issued
G7. This permit has been issued for:	New Construction	Substantial Improvement	
G8. Elevation of as-built lowest floor (includin of the building:	g basement)	fe	et  meters Datum
G9. BFE or (in Zone AO) depth of flooding at	the building site:	fe	et 🗌 meters Datum
G10. Community's design flood elevation:		fe	et meters Datum
Local Official's Name	salantino	Title CF/	e e e e e e e e e e e e e e e e e e e
Community Name MANGA	Salantino Te		822-197×
Signature C1		Date / 0	125/18
Comments (including type of equipment and lo	cation, per C2(e), if applie	cable)	
			2.2
			Check here if attachments.

#### **BUILDING PHOTOGRAPHS**

**ELEVATION CERTIFICATE** 

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these s	FOR INSURANCE COMPANY USE			
Building Street Address ( 308 N. CLERMONT AVE		ite, and/or Bldg. No.) or	P.O. Route and Box No.	Policy Number:
City	*** *** ** ** ** ***	State	ZIP Code	Company NAIC Number
MARGATE		New Jersey	08402	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT VIEW AND LEFT SIDE VIEW

17-399

Clear Photo One



Photo Two

Photo Two Caption FRONT VIEW AND RIGHT SIDE VIEW

Clear Photo Two

#### **BUILDING PHOTOGRAPHS**

**ELEVATION CERTIFICATE** 

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2018

	1 1111 17	Expiration Date. Herefulliper Co, 2010		
IMPORTANT: In these spaces, copy the corresponding information from Section A.  Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.  308 N. CLERMONT AVENUE				
New Jersey	08402			
-	ng Apt., Unit, Suite, and/or Bldg. No.	ng Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.  State ZIP Code		

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption REAR VIEW AND CRAWL SPACE DOOR SYSTEMS FLOOD VENT MODEL 1632CS [7-379] Clear Photo Three






Photo Four

Photo Four Caption CRAWL SPACE DOOR SYSTEMS FLOOD VENT MODEL 816CS TYPICAL OF 4

Clear Photo Four

# Certification of Engineered Flood Openings

In accordance with the Code of Federal Regulations for the National Flood Insurance Program

I hereby certify that the Crawl Space Door Systems flood vents 816CS, 1220CS, 1232CS, 1616CS, 1624CS, 1632CS, 2032CS, 2424CS, and 2436CS are designed are designed in accordance with the requirements of the Code of Federal Regulations for the National Flood Insurance Program (NFIP) to provide automatic equalization of hydrostatic flood forces by allowing for the entry and exit of floodwaters, when properly installed and sized as set forth below. Vent opening measurements were measured and certified by Mr. Christopher Mark Loney, Virginia P.E. NO. 029000. Detailed calculations were prepared as outlined in "Review of certification of Engineered Flood Openings," prepared by Dr. Georg Reichard, Associate Professor of Building Construction, Virginia Tech (available upon request from Crawl Space Door Systems, Inc. billy@crawlspacedoors.com)

#### **Design Characteristics**

Section 2.6.2.2 of ASCE/SEI 24-05 provides an equation to determine the required net area of engineered openings (Ao) for a given enclosed area (Ae). This equation is based on the hydraulic formula for the flow rate across sharp edged orifices. I have utilized this equation to calculate 1) the restricted flow rate through the main frame opening in case the louver is blown out during a flood event; 2) the flow rate through the individual openings between louver blades; and 3) the flow rate through projected openings between louver blades following hydraulic short-tube theory. The maximum total enclosed area (Ae) that can be serviced by a single vent has then been determined by utilizing the lowest flow rate of the three assessed scenarios for each vent and is listed in Table 1. These values are based on the following assumptions:

- In absence of reliable data, the rates of rise and fall have been assumed at a minimum rate of 5 feet/hour;
- The (maximum) difference between the exterior and interior floodwater levels shall not exceed 1 foot during base flood
- A factor of safety of 5 has been assumed, which is consistent

• A factor of safety of 5 has been assumed, which is consistent		1616CS	16 x 16	180
with design practices related to protection of life and property;		1624CS	16 x 24	310
<ul> <li>The net area of openings (A<sub>o</sub>) as provided by the manufacturer.</li> </ul>	×	1632CS	16 x 32	405
Installation Requirements and Limitations		2032CS	20 x 32	630
This cortification will be all the		2424CS	24 x 24	570

This certification will be voided if the following installation requirements and limitations are not enforced:

- There shall be a minimum of two openings on different sides of each enclosed area subject to flooding;
- The bottom of all openings shall be no higher than one foot above the higher of the interior or exterior grade that is immediately under each opening;
- Table 1 Maximum total enclosed area (Ae) that can be serviced by each individual model based on the given net area of engineered openings (Ao)

HxW

[in]

8 x 16

12 x 20

12 x 32

24 x 36

[in<sup>2</sup>]

105

235

305

850

[ft2]

205

500

645

395

670

835

1240

1230

1765

Model

816CS

1220CS

1232CS

1616CS

2436CS

X

- No temporary (e.g. during cold weather) or permanent solid cover may be placed into or over the flood vent that would block the automatic entry or exit of floodwaters at any time;
- Where data or analyses indicate more rapid rates of rise and fall, the required number of openings shall be increased to account for those different conditions. The number or size of the openings may be decreased if data or analyses indicate rates of rise and fall are less than 5 feet per hour.

Title ENGINEER	. 17-399
Title ENGINEER	
	* *
License No. 24GE02048200	
Date:	
11-10-17	
Vents (By Others)	A COMPANY
	License No. 24GE02048200  Date:

The flood vent models marked in Table 1\*) are being installed at the following building:

**Building Address** 

5pring 2012

Ver. 2.0