U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

		TION A – PROPERTY	INFOR	RMATION		FOR INSUI	RANCE COMPANY USE
A1. Building Owner's Name Zviya Weinstock						Policy Num	ber:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 404 N Kenyon Avenue					. Route and	Company N	IAIC Number:
City Margate				State New Jersey	- The Control of the	ZIP Code 08402	
A3. Property Desc Block 613.02, Lot 2		nd Block Numbers, Tax	x Parce	el Number, Legal De	escription, etc.)		
A4. Building Use (e.g., Residen	tial, Non-Residential, A	∖ddition	ı, Accessory, etc.)	Residential		
A5. Latitude/Longi	tude: Lat. <u>N</u>	'39°20'14.3"	Long. V	V74°30'14.3"	Horizontal Datum	: NAD	1927 X NAD 1983
A6. Attach at least	2 photograpl	hs of the building if the	Certific	cate is being used to	o obtain flood insura	nce.	
A7. Building Diagra	am Number	8					
A8. For a building	with a crawls	pace or enclosure(s):					
a) Square foo	tage of crawls	space or enclosure(s)		1,430 sq ft			
b) Number of	permanent flo	ood openings in the cra	wlspac	e or enclosure(s) w	rithin 1.0 foot above	adjacent gr	ade 8
c) Total net ar	ea of flood op	penings in A8.b1,6	00 €	sq in			
d) Engineered	flood openin	gs? 🛛 Yes 🗌 No	5				
A9. For a building v	vith an attach	ed garage:			•		
		ed garage 0		sq ft			
		ood openings in the atta		•	ot above adjacent d	rada	0
			0		ot above adjacent g		U
				sq in			
d) Engineered	пооа орения	gs? ☐ Yes ⊠ No	D				
	SE	CTION B – FLOOD IN	ISURA	NCE RATE MAP	(FIRM) INFORMA	ΓΙΟΝ	
B1. NFIP Communi Margate City 34530		ommunity Number		B2. County Name Atlantic			B3. State New Jersey
B4. Map/Panel Number	B5, Suffix	B6. FIRM Index Date	Ef	IRM Panel ffective/	B8. Flood Zone(s)	(Zor	se Flood Elevation(s) ne AO, use Base
34001C 0434	F	08/28/2018	08/28	evised Date /2018	AE	8.0	od Depth)
		Base Flood Elevation (B			epth entered in Item	B9:	
B11. Indicate eleva	tion datum us	sed for BFE in Item B9:	: 🔲 N	GVD 1929 🔀 NA	VD 1988 ☐ Oth	er/Source:	
B12. Is the building	located in a	Coastal Barrier Resou	rces Sy	vstem (CBRS) area	or Otherwise Prote	cted Area (C	PA)? ☐ Yes ⊠ No
Designation D	ate:	🔲 c	BRS	☐ OPA			

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the correspond	ing information from Sec	tion A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and 404 N Kenyon Avenue	l/or Bldg. No.) or P.O. Rou	te and Box No.	Policy Number:
		Code	Company NAIC Number
Margate	New Jersey 0840	02	
SECTION C - BUILDING	ELEVATION INFORMAT	ION (SURVEY R	EQUIRED)
C1. Building elevations are based on: Construe *A new Elevation Certificate will be required wher C2. Elevations – Zones A1–A30, AE, AH, A (with BFE Complete Items C2.a–h below according to the b	n construction of the buildin	FE), AR, AR/A, AR/	/AE. AR/A1–A30. AR/AH. AR/AO.
Benchmark Utilized: Local BM	Vertical Datum:	NAVD 1988	
Indicate elevation datum used for the elevations in ☐ NGVD 1929 ☑ NAVD 1988 ☐ Othe	, ,	w.	
Datum used for building elevations must be the sa	ame as that used for the B	FE.	
a) Tan of bottom floor (including becoment every	Janaaa	7.0	Check the measurement used.
a) Top of bottom floor (including basement, craw	ispace, or enclosure floor)		feet meters
b) Top of the next higher floor		12. 0	
c) Bottom of the lowest horizontal structural mem	nber (V Zones only)	N/A	feet
d) Attached garage (top of slab)		N/A	feet
e) Lowest elevation of machinery or equipment s (Describe type of equipment and location in Co	ervicing the building omments)	12. 0	feet meters
f) Lowest adjacent (finished) grade next to buildi	ng (LAG)	6. <u>7</u>	feet meters
g) Highest adjacent (finished) grade next to build	ing (HAG)	7. <u>0</u>	feet meters
 h) Lowest adjacent grade at lowest elevation of of structural support 	leck or stairs, including	<u>6</u> . <u>7</u>	feet meters
SECTION D - SURVEYO	R, ENGINEER, OR ARC	HITECT CERTIFI	CATION
This certification is to be signed and sealed by a land sealed by a land sealed by a land sealed by a land sealed by the certificate representiatement may be punishable by fine or imprisonment	surveyor, engineer, or arch	nitect authorized by oret the data availa	law to certify elevation information.
Were latitude and longitude in Section A provided by a	licensed land surveyor?	⊠Yes □No	☑ Check here if attachments.
Certifier's Name James R. Boney, PLS	License Number 31264		
Title Professional Land Surveyor			
Company Name James R. Boney & Associates, LLC			Place Seal
Address 13 Stone Mill Court			Here
City Egg Harbor Twp	State New Jersey	ZIP Code 08234	
Signature	Date 01/21/2019	Telephone (609) 788-8013	
Copy all pages of this Elevation Certificate and all attachr	ments for (1) community offi	cial, (2) insurance a	agent/company, and (3) building owner.
Comments (including type of equipment and location, p One and one-half story frame dwelling on crawlspace. A FF elevation (C2b). There are eight Smart Vents Model	A/C Unit on elevated platfo	orm outside. All inte	rior mechanicals are at or above the

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the correspond	ling information from	Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, an 404 N Kenyon Avenue	d/or Bldg. No.) or P.O.	Route and Box No.	Policy Number:
City	State	ZIP Code	Company NAIC Number
Margate	New Jersey	08402	
SECTION E – BUILDING EL FOR ZON	EVATION INFORMA E AO AND ZONE A	ATION (SURVEY NOT (WITHOUT BFE)	REQUIRED)
For Zones AO and A (without BFE), complete Items E-complete Sections A, B,and C. For Items E1–E4, use enter meters.	1–E5. If the Certificate natural grade, if availa	is intended to support a ble. Check the measure	LOMA or LOMR-F request, ment used. In Puerto Rico only,
E1. Provide elevation information for the following and the highest adjacent grade (HAG) and the lowest a) Top of bottom floor (including basement,	I check the appropriate adjacent grade (LAG).	e boxes to show whethe	r the elevation is above or below
crawlspace, or enclosure) is		feet	s 🔲 above or 🗌 below the HAG.
 Top of bottom floor (including basement, crawlspace, or enclosure) is 		feet	s 🔲 above or 🗌 below the LAG.
E2. For Building Diagrams 6–9 with permanent flood of the next higher floor (elevation C2.b in the diagrams) of the building is	ppenings provided in S	ection A Items 8 and/or 	
E3. Attached garage (top of slab) is			
E4. Top of platform of machinery and/or equipment servicing the building is			s ☐ above or ☐ below the HAG.
E5. Zone AO only: If no flood depth number is available	le, is the top of the bot No Unknown.	tom floor elevated in acc	
SECTION F - PROPERTY OW	NER (OR OWNER'S F	REPRESENTATIVE) CE	RTIFICATION
The property owner or owner's authorized representation community-issued BFE) or Zone AO must sign here. The property owner is authorized representation to the property owner or owner's authorized representation.	ve who completes Sec	tions A. B. and F for Zo	ne A (without a FEMA-issued or
Property Owner or Owner's Authorized Representative	's Name		
Address	City	Sta	ate ZIP Code
Signature	Date	Tel	ephone
Comments			
			☐ Check here if attachments.

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section	ı A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route a 404 N Kenyon Avenue	nd Box No.	Policy Number:
City State ZIP Cod Margate New Jersey 08402	le	Company NAIC Number
SECTION G – COMMUNITY INFORMATION	(OPTIONAL)	
The local official who is authorized by law or ordinance to administer the community's Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable is used in Items G8–G10. In Puerto Rico only, enter meters.	s floodplain mar tem(s) and sign	nagement ordinance can complete below. Check the measurement
G1. The information in Section C was taken from other documentation that has engineer, or architect who is authorized by law to certify elevation informati data in the Comments area below.)	been signed ar on. (Indicate the	d sealed by a licensed surveyor, e source and date of the elevation
G2. A community official completed Section E for a building located in Zone A (or Zone AO.	without a FEMA	v-issued or community-issued BFE)
G3. The following information (Items G4–G10) is provided for community floods	olain manageme	ent purposes.
G4. Permit Number G5. Date Permit Issued		Date Certificate of ompliance/Occupancy Issued
G7. This permit has been issued for: New Construction Substantial Im	provement	
G8. Elevation of as-built lowest floor (including basement) of the building:	feet	meters Datum
G9. BFE or (in Zone AO) depth of flooding at the building site:	feet	meters Datum
G10. Community's design flood elevation:	feet	meters Datum
Local Official's Name Title	CFN	7
Community Name Telephone MARIATE 6	09-87	1 2-197×
Signature Date	1/28,	/19
Comments (including type of equipment and location, per C2(e), if applicable)		
		,
		☐ Check here if attachments.

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including 404 N Kenyon Avenue	Apt., Unit, Suite, and/or Bldg. No.) or	P.O. Route and Box No.	Policy Number:
City Margate	State New Jersey	ZIP Code 08402	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption Front 01/18/2019




Photo Two Caption Rear 01/18/2019

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.		FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit	, Suite, and/or Bldg. No.) or	P.O. Route and Box No.	Policy Number:
404 N Kenyon Avenue			
City	State	ZIP Code	Company NAIC Number
Margate	New Jersey	08402	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.





Photo One

Photo One Caption 01/18/2019 Smart Vent (typical) one of eight

Photo Two

Photo Two

FEMA Form 086-0-33 (7/15)



DIVISION: 08 00 00—OPENINGS

SECTION: 08 95 43-VENTS/FOUNDATION FLOOD VENTS

REPORT HOLDER:

SMARTVENT PRODUCTS, INC.

430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071


EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514



Look for the trusted marks of Conformity!

"2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence"





ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.





Copyright © 2017 ICC Evaluation Service, LLC. All rights reserved.



ICC-ES Evaluation Report

ESR-2074

Reissued February 2017 Revised November 2017 This report is subject to renewal February 2019.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00-OPENINGS

Section: 08 95 43-Vents/Foundation Flood Vents

REPORT HOLDER:

SMARTVENT PRODUCTS, INC. 430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071 (877) 441-8368 www.smartvent.com info@smartvent.com

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514

1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2015, 2012, 2009 and 2006 International Building Code® (IBC)
- 2015, 2012, 2009 and 2006 International Residential Code® (IRC)
- 2013 Abu Dhabi International Building Code (ADIBC)^T

[†]The ADIBC is based on the 2009 IBC, 2009 IBC code sections referenced in this report are the same sections in the ADIBC

Properties evaluated:

- Physical operation
- Water flow

2.0 USES

The Smart Vent® units are engineered mechanically operated flood vents (FVs) employed to equalize hydrostatic pressure on walls of enclosures subject to rising or falling flood waters. Certain models also allow natural ventilation.

3.0 DESCRIPTION

3.1 General:

When subjected to rising water, the Smart Vent® FVs internal floats are activated, then pivot open to allow flow in either direction to equalize water level and hydrostatic pressure from one side of the foundation to the other. The FV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water,

the buoyant release device causes the unit to unlatch, allowing the door to rotate out of the way and allow flow. The water level stabilizes, equalizing the lateral forces. Each unit is fabricated from stainless steel. Smart Vent[®] Automatic Foundation Flood Vents are available in various models and sizes as described in Table 1. The SmartVENT® Stacking Model #1540-511 and FloodVENT Stacking Model #1540-521 units each contain two vertically arranged openings per unit.

3.2 Engineered Opening:

The FVs comply with the design principle noted in Section 2.7.2.2 and Section 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)] for a maximum rate of rise and fall of 5.0 feet per hour (0,423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Smart Vent FVs must be installed in accordance with Section 4.0.

3.3 Ventilation:

The SmartVENT® Model #1540-510 and SmartVENT® Overhead Door Model #1540-514 both have screen covers with $^{1}/_{4}$ -inch-by- $^{1}/_{4}$ -inch (6.35 by 6.35 mm) openings, yielding 51 square inches (32 903 mm²) of net free area to supply natural ventilation. The SmartVENT® Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65 806 mm²) of net free area to supply natural ventilation. Other FVs recognized in this report do not offer natural ventilation.

4.0 DESIGN AND INSTALLATION

SmartVENT® and FloodVENT® are designed to be installed into walls or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. Installation clips allow mounting in masonry and concrete walls of any thickness. In order to comply with the engineered opening design principle noted in Section 2.7.2.2 and 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)], the Smart Vent® FVs must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 200 square feet (18.6 m²) of enclosed area, except that the SmartVENT® Stacking Model #1540-511 and Stacking Model #1540-511 FloodVENT® Stacking Model #1540-521 must be



installed with a minimum of one FV for every 400 square feet (37.2 m²) of enclosed area.

- Below the base flood elevation.
- With the bottom of the FV located a maximum of 12 inches (305.4 mm) above the higher of the final grade or floor and finished exterior grade immediately under each opening.

5.0 CONDITIONS OF USE

The Smart Vent® FVs described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

5.1 The Smart Vent® FVs must be installed in accordance with this report, the applicable code and the manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern. 5.2 The Smart Vent[®] FVs must not be used in the place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.

6.0 EVIDENCE SUBMITTED

Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015.

7.0 IDENTIFICATION

The Smart VENT® models recognized in this report must be identified by a label bearing the manufacturer's name (Smartvent Products, Inc.), the model number, and the evaluation report number (ESR-2074).

TABLE 1-MODEL SIZES

MODEL NAME	MODEL NUMBER	MODEL SIZE (in.)	COVERAGE (sq. ft.)
FloodVENT [®]	1540-520	15 ³ / ₄ " X 7 ³ / ₄ "	200
SmartVENT [®]	1540-510	15 ³ / ₄ " X 7 ³ / ₄ "	200
FloodVENT [®] Overhead Door	1540-524	15 ³ / ₄ " X 7 ³ / ₄ "	200
SmartVENT [®] Overhead Door	1540-514	15 ³ / ₄ " X 7 ³ / ₄ "	200
Wood Wall FloodVENT®	1540-570	14" X 8 ³ / ₄ "	200
Wood Wall FloodVENT® Overhead Door	1540-574	14" X 8 ³ / ₄ "	200
SmartVENT [®] Stacker	1540-511	16" X 16"	400
FloodVent [®] Stacker	1540-521	16" X 16"	400

For SI: 1 inch = 25.4 mm; 1 square foot = m²




FIGURE 1-SMART VENT: MODEL 1540-510




FIGURE 2-SMART VENT MODEL 1540-520




FIGURE 3—SMART VENT: SHOWN WITH FLOOD DOOR PIVOTED OPEN