## U.S. DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency National Flood Insurance Program

## **ELEVATION CERTIFICATE**

Important: Follow the instructions on pages 1-9.



Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SEC	TION A - PROPERT	/ INFOR	MATION			FOR INSU	RANCE COMPANY USE
A1. Building Owner's Name NICHOLAS S. SAVOPOULOS						Policy Num	ber:
<ul><li>A2. Building Street Address (in Box No.</li><li>118 N. JEFFERSON AVENUE</li></ul>	7.	te, and/o	r Bldg. No.) o	or P.O. I	Route and	Company N	IAIC Number:
City MARGAGE			State New Jer	sey		ZIP Code 08402	
A3. Property Description (Lot LOT 414, BLOCK 329	and Block Numbers, Ta	ax Parce	l Number, Le	gal Des	cription, etc	.)	
A4. Building Use (e.g., Reside	ntial, Non-Residential,	Addition	, Accessory,	etc.) _	RESIDENT	ΓIAL	
A5. Latitude/Longitude: Lat.	39.32333	Long.	74.51778		Horizontal	Datum: NAD	1927 🗵 NAD 1983
A6. Attach at least 2 photogra	ohs of the building if th	e Certific	ate is being ι	used to	obtain flood	insurance.	
A7. Building Diagram Number	6						
A8. For a building with a crawl	space or enclosure(s):						=
<ul> <li>a) Square footage of craw</li> </ul>	rispace or enclosure(s)			995.00	sq ft		=
b) Number of permanent f	ood openings in the cr	awlspac	e or enclosur	e(s) with	hin 1.0 foot	above adjacent gra	ade <u>6</u>
c) Total net area of flood of	penings in A8.b		1230.00 sq ir	)			
d) Engineered flood openi	ngs? 🗵 Yes 🗌 1	No					
A9. For a building with an attac	hed garage:						
<ul> <li>a) Square footage of attac</li> </ul>	hed garage		N/A sq ft				
b) Number of permanent f	ood openings in the at	tached g	arage within	1.0 foot	above adja	cent grade N/A	
c) Total net area of flood o	penings in A9.b		N/A sq	in			
d) Engineered flood openi	ngs? Tyes X	10					
S	ECTION B - FLOOD	INSURA	NCE RATE	MAP (	FIRM) INFO	ORMATION	16-191
B1. NFIP Community Name &			B2. County	•	•		B3. State
CITY OF MARGATE CITY 345	5304		ATLANTIC				New Jersey
B4. Map/Panel B5. Suffix Number	B6. FIRM Index Date	Effe	RM Panel ective/ vised Date	B8. F Zone(		B9. Base Flood E (Zone AO, us	Elevation(s) e Base Flood Depth)
345304 0001 C	10-18-1983	10-18-		A8		10.0	
B10. Indicate the source of the ☐ FIS Profile ☑ FIRM					oth entered i	n Item B9:	
B11. Indicate elevation datum	used for BFE in Item B	9: 🗵 N	GVD 1929	☐ NA\	/D 1988 [	Other/Source:	
B12. Is the building located in	a Coastal Barrier Reso	urces Sy	/stem (CBRS	) area d	or Otherwise	Protected Area (0	OPA)? ☐ Yes ⊠ No
Designation Date:		CBRS	□ ОРА				

#### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding	g information from Se	ction A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/o	r Bldg. No.) or P.O. Ro	ute and Box No.	Policy Number:
City Sta MARGAGE Ne	ate ZIP w Jersey 084	Code 02	Company NAIC Number
SECTION C – BUILDING EL	EVATION INFORMA	TION (SURVEY RE	EQUIRED)
C1. Building elevations are based on: Constructi  *A new Elevation Certificate will be required when of the complete Items C2.a—h below according to the build Benchmark Utilized: LOCAL BENCH  Indicate elevation datum used for the elevations in incomplete Items C2.a—h below according to the build Benchmark Utilized: LOCAL BENCH	construction of the build VE, V1–V30, V (with E ding diagram specified Vertical Datum tems a) through h) belo	FE), AR, AR/A, AR/A in Item A7. In Puerto NGVD 1929	AE. AR/A1–A30. AR/AH. AR/AO
⋈ NGVD 1929    NAVD 1988    Other/     Datum used for building elevations must be the same same same same same same same sam		DEE	
a) Top of bottom floor (including basement, crawlsp     b) Top of the next higher floor     c) Bottom of the lowest horizontal structural members.	pace, or enclosure floor	)	Check the measurement used.  6.03
d) Attached garage (top of slab)	(* ==**********************************	( <u></u>	N/A feet meters
<ul> <li>e) Lowest elevation of machinery or equipment ser (Describe type of equipment and location in Con</li> </ul>	vicing the building nments)	1	14.33 🗵 feet 🗌 meters
f) Lowest adjacent (finished) grade next to building	(LAG)		5.59 X feet meters
g) Highest adjacent (finished) grade next to building	g (HAG)	-	5.79 X feet meters
h) Lowest adjacent grade at lowest elevation of dec structural support	ck or stairs, including	20000000000000000000000000000000000000	5.59 X feet meters
SECTION D – SURVEYOR,			1011
This certification is to be signed and sealed by a land sull certify that the information on this Certificate represents statement may be punishable by fine or imprisonment ur	my best efforts to inter	pret the data availab	law to certify elevation information.  ole. I understand that any false
Were latitude and longitude in Section A provided by a lie	censed land surveyor?	⊠ Yes □ No	
Certifier's Name HOWARD A. TRANSUE	License Number GS33541		
Title PROFESSIONAL LAND SURVEYOR			G533541 Place
Company Name SCHAEFFER NASSAR SCHEIDEGG, CE, LLC			Seal
Address 1425 CANTILLON BOULEVARD	21		Here
City MAYS LANDING	State New Jersey	ZIP Code 08330	8/17/2017
Signature /// / / / / / / / / / / / / / / / / /	Date 08-17-2017	Telephone (609) 625-7400	Ext.
Copy all pages of this Efevation Certificate and all attachme	nts for (1) community of	ficial, (2) insurance ag	gent/company, and (3) building owner.
Comments (including type of equipment and location, per ITEM A8b VENTS ARE CRAWL SPACE DOOR ACCESS ITEM C2e ALL MECHANICALS ARE AT FINISH FLOOR	FLOOD VENTS MOD		AT 205 SQ. IN. EACH
			-

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding	g information from Sec	tion A.	FOR INSURANCE COMPANY USE
Ruilding Street Address (including Apt., Unit, Suite, and/o	or Bldg. No.) or P.O. Rou	te and Box No.	Policy Number:
Oity	ate ZIP ew Jersey 0840	Code 02	Company NAIC Number
SECTION E – BUILDING ELE FOR ZONE	VATION INFORMATIO AO AND ZONE A (WIT	N (SURVEY NOT HOUT BFE)	REQUIRED)
For Zones AO and A (without BFE), complete Items E1–complete Sections A, B,and C. For Items E1–E4, use na enter meters.	tural grade, if available. (	Check the measurer	ment used. In Puerto Rico only,
<ul><li>E1. Provide elevation information for the following and c the highest adjacent grade (HAG) and the lowest ac</li><li>a) Top of bottom floor (including basement,</li></ul>	neck the appropriate box ljacent grade (LAG).	es to snow whether	
crawlspace, or enclosure) is b) Top of bottom floor (including basement,		☐ feet ☐ meter	
crawlspace, or enclosure) is  E2. For Building Diagrams 6–9 with permanent flood op	enings provided in Section		
the next higher floor (elevation C2.b in the diagrams) of the building is	100 500	☐ feet ☐ meter	
E3. Attached garage (top of slab) is		feet meter	rs above or below the HAG.
E4. Top of platform of machinery and/or equipment servicing the building is		☐ feet ☐ meter	rs 🗌 above or 🗌 below the HAG.
E5. Zone AO only: If no flood depth number is available floodplain management ordinance?	, is the top of the bottom No	floor elevated in ac local official must	cordance with the community's certify this information in Section G.
SECTION F – PROPERTY OWN	ER (OR OWNER'S REP	RESENTATIVE) C	ERTIFICATION 16-191
he property owner or owner's authorized representative community-issued BFE) or Zone AO must sign here. The	who completes Sections statements in Sections	s A, B, and E for Zo A, B, and E are cor	ne A (without a FEMA-issued or rect to the best of my knowledge.
Property Owner or Owner's Authorized Representative's	Name		
Address	City	St	ate ZIP Code
Signature	Date,	Te	elephone
Comments	11:1	<u> </u>	,
(			
			*
1			
		11	Check here if attachments.

### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

	s, copy the corresponding informa		FOR INSURANCE COMPANY USE
Building Street Address (included 18 N. JEFFERSON AVENUED 18 N. JEFFERSON AVEN	ding Apt., Unit, Suite, and/or Bldg. No	o.) or P.O. Route and Box No.	Policy Number:
City MARGAGE	State New Jersey	ZIP Code 08402	Company NAIC Number
	SECTION G - COMMUNIT	Y INFORMATION (OPTIONA	L) 16-191
used in Items G8–G10. In Pue G1. The information in Sengineer, or architect	ection C was taken from other docuntry who is authorized by law to certify a	ite the applicable item(s) and s	management ordinance can complete sign below. Check the measurement
G2. A community official or Zone AO.	ts area below.)  completed Section E for a building lo	ocated in Zone A (without a FE	EMA-issued or community-issued BFE)
G3.  The following information	ation (Items G4–G10) is provided for	community floodplain manage	ement purposes.
G4. Permit Number	G5. Date Permit Is	ssued G6	Date Certificate of Compliance/Occupancy Issued
G7. This permit has been issu  G8. Elevation of as-built lowes of the building:	application and	Substantial Improvement	eet ☐ meters Datum
G9. BFE or (in Zone AO) dent	h of flooding at the building site:	□ fe	
G10. Community's design flood	elevation:	[_] fe	eet [] meters Datum
Local Official's Name	17	Title	g.
Community Name		Telephone	9
Signature		Date	
Comments (including type of eq	uipment and location, per C2(e), if ap	oplicable)	
			8
			\$
			Check here if attachments.

#### **BUILDING PHOTOGRAPHS**

**ELEVATION CERTIFICATE** 

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

18 N. JEFFERSON AVENUE

City
State
New Jersey

State
New Jersey

08402

FOR INSURANCE COMPANY USE

Policy Number:

Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.




Photo One Caption FRONT VIEW

16-191

Clear Photo One




Photo Two

Photo Two Caption REAR VIEW & RIGHT SIDE VIEW

Clear Photo Two

#### **BUILDING PHOTOGRAPHS**

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2018

	opy the corresponding information		FOR INSURANCE COMPANY USE
Building Street Address (including 18 N. JEFFERSON AVENUE	g Apt., Unit, Suite, and/or Bldg. No.) or	P.O. Route and Box No.	Policy Number:
City MARGAGE	State New Jersey	ZIP Code 08402	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.





Photo Three Caption REAR VIEW AND LEFT SIDE VIEW

**ELEVATION CERTIFICATE** 

Clear Photo Three



CRAWL SPACE DOOR ACCESS FLOOD VENT MODEL 816CS TYPICAL OF 6 Photo Four Caption

Clear Photo Four

# Certification of Engineered Flood Openings

In accordance with NFIP, FEMA TB 1-08, and ASCE/SEI 24-05

reby certify that the Crawl Space Door Systems flood vents 816CS, 122OCS, 123CCS, 1616CS, 162CS, 1632CS, 2032CS, 2424CS, 2436CS are designed in accordance with the requirements of the NFIP "Flood Insurance Manual" (2011) to provide automatic equalization of hydrostatic flood forces by allowing for the entry and exit of floodwaters, when properly installed and sized as set forth below. This certification follows the design requirements and specifications established in FEMA Technical Bulletin 1-08, "Openings in Foundation Walls and Walls of Enclosures Below Elevated Buildings in Special Flood Hazard Areas", and the ASCE Standard for "Flood Resistant Design and Construction" (ASCE/SEI 24-05).

#### **Design Characteristics**

16-191

Section 2.6.2.2 of ASCE 24 provides an equation to determine the required <u>net area</u> of engineered openings (A<sub>o</sub>) for a given <u>enclosed area</u> (A<sub>e</sub>). This equation is based on the hydraulic formula for the flow rate across sharp edged orifices. I have utilized this equation to calculate 1) the respected flow rate through the individual openings between louvers; 2) the flow rate through the main frame opening in case the louver is blown out during a flood event; and 3) the flow rate of water flowing through louver blades following hydraulic short tube theory. The ultimate maximum total enclosed area (A<sub>e</sub>) that can be serviced by a single vent has then been determined by utilizing the lowest flow rate of the three assessed scenarios for each vent and is listed in Table 1.

These values are based on the following assumptions:

- In absence of reliable data, the rates of rise and fall have been assumed with 5 feet/hour;
- The (maximum) difference between the exterior and interior floodwater levels has been assumed with 1 foot during base flood conditions;
- A factor of safety of 5 has been assumed, which is consistent with design practices related to protection of life and property;
- The net area of openings (A₀) as provided by the manufacturer.

Installation Requiren	ents and Limitations
-----------------------	----------------------

certification will be voided if the following installation requirements and limitations are not enforced:

- There shall be a minimum of two openings on different sides of each enclosed area;
- The bottom of each required opening shall be no more than 1ft above the adjacent ground level;

*)	Model	H x W [in]	A <sub>o</sub> [in <sup>2</sup> ]	A <sub>e</sub> [ft <sup>2</sup> ]
X	816CS	8 x 16	105	205
	1220CS	12 x 20	235	500
	1232CS	12 x 32	305	645
	1616CS	16 x 16	180	395
	1624CS	16 x 24	310	670
	1632CS	16 x 32	405	835
	2032CS	20 x 32	630	1240
	2424CS	24 x 24	570	1230
	2436CS	24 x 36	850	1765

Table 1 Maximal total <u>enclosed area</u> (A<sub>e</sub>) that can be served by each individual model based on the given <u>net area</u> of engineered openings (A<sub>o</sub>)

- No temporary (e.g. during cold weather) or permanent solid cover may be placed into or over the flood vent that would block the automatic entry or exit of floodwaters at any time;
- Where analysis indicates rates of rise and fall greater than 5 ft/hr, the total enclosed area as given in Table 1 shall be reduced accordingly to account for the higher rates of rise and fall.

#### Identification of the Building and Installed Flood Vents

The flood vent models marked in Table 1\*) are being installed at the following building:

**Building Address** 

118 N. JEFFERSON AVENUE, MARGATE, NJ 08402

### Certifying Design Professional

Name WILLIAM S. SWIDERSKI, P.E.

Title ENGINEER

Address 599 SHORE ROAD, SOMERS POINT, NJ 08244

Type of License PROFESSIONAL ENGINEER

License # 20482

Issuing State NEW JERSEY

