### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

# ELEVATION CERTIFICATE Important: Follow the instructions on pages 1–9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

	SE	CTION A - PROPERT	Y INFO	RMATION			FOR INSU	RANCE COMPANY USE
A1. Building Owner's Name DAVCO CONSTRUCTION, INC.						Policy Nun	nber:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.  209 N. IROQUOIS AVENUE  Company NAIC Number:							NAIC Number:	
City MARGATE	City State ZIP Code							
A3. Property Des LOT 6, BLOCK 4		and Block Numbers, T	ax Parce	el Number, Le	∍gal Des	scription, et	ic.)	
A4. Building Use	A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL							
A5. Latitude/Long	gitude: Lat. 3	39.33167	Long	74.50528		Horizonta	l Datum: NAD	1927 × NAD 1983
A6. Attach at leas	st 2 photograp	phs of the building if th	e Certifi	cate is being	used to	obtain floo	d insurance.	
A7. Building Diag	ram Number	8		81				V
A8. For a building	with a crawl	space or enclosure(s):						
a) Square fo	otage of craw	/Ispace or enclosure(s)	)		915.00	) sq ft		
b) Number of	permanent fl	lood openings in the cr	awlspac	e or enclosur	re(s) witl	- hin 1.0 foot	above adjacent gra	ade 2
c) Total net a	rea of flood o	penings in A8.b		1670.00 sq i	n			
d) Engineere	d flood openi	ngs? 🗵 Yes 🗌 I	No					
A9. For a building	with an attacl	hed garage:						
a) Square foo	a) Square footage of attached garage N/A sq ft							
b) Number of	permanent fle	ood openings in the at	tached g	arage within	1.0 foot	above adj	acent grade N/A	
		penings in A9.b		N/A so				
d) Engineered			10					
	SI	ECTION B – FLOOD I	INSURA	NCE RATE	MAP (F	FIRM) INF	OPMATION #	<i>i</i> 1011
B1. NFIP Commur		Community Number	110010	B2. County		TIXINI) IIXI	ORWATION 7	6-(94 B3. State
CITY OF MARGAT	and the commence of the commen	15.50		ATLANTIC	Truino	,		New Jersey
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effe	RM Panel ective/ vised Date	B8. Flo Zone(s		B9. Base Flood E (Zone AO, use	levation(s) e Base Flood Depth)
34001C0434	F	01-30-2015	01-30-2		AE		8.0	
		Base Flood Elevation Community Deterr						
B11. Indicate eleva	ation datum u	sed for BFE in Item B	9: 🔲 <b>N</b>	GVD 1929 [	⊠ NAV	'D 1988 [	Other/Source:	
B12. Is the building	a located in a	Coastal Barrier Resor	urces Sv	stem (CRRS	) area o	r Otherwise	Protected Area (C	PA)? TVes VNo
Designation I			CBRS	OPA	, 2.00 01	. 5.115111130		[ 169 [A] NO
Designation								

#### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corres	FOR INSURANCE COMPANY USE					
Building Street Address (including Apt., Unit, Suit 209 N. IROQUOIS AVENUE	Policy Number:					
City MARGATE	01010	Code 402	Company NAIC Number			
SECTION C - BUILD	ING ELEVATION INFORMA	TION (SURVEY R	EQUIRED)			
*A new Elevation Certificate will be required	when construction of the build		_			
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: LOCAL BENCH  Vertical Datum: NAVD 1988						
Indicate elevation datum used for the eleva						
Indicate elevation datum used for the eleva		O**.				
Datum used for building elevations must be		BFE.				
			Check the measurement used.  7.80   ☐ feet ☐ meters			
<ul> <li>a) Top of bottom floor (including basement</li> </ul>	, crawlspace, or enclosure floo	or)				
<ul><li>b) Top of the next higher floor</li></ul>			11.26 × feet  meters			
<ul> <li>c) Bottom of the lowest horizontal structura</li> </ul>	l member (V Zones only)		N/A feet meters			
d) Attached garage (top of slab)			N/A feet meters			
<ul> <li>e) Lowest elevation of machinery or equipr (Describe type of equipment and locatio</li> </ul>	ment servicing the building nin Comments)		11.16 × feet meters			
f) Lowest adjacent (finished) grade next to	building (LAG)		7.08 X feet meters			
g) Highest adjacent (finished) grade next to	building (HAG)		8.33 × feet meters			
<ul> <li>h) Lowest adjacent grade at lowest elevation structural support</li> </ul>			6.64 × feet meters			
SECTION D - SUR	VEYOR, ENGINEER, OR AF	CHITECT CERTIF	ICATION 16-194			
This certification is to be signed and sealed by a I certify that the information on this Certificate re statement may be punishable by fine or imprisor	nresents my best efforts to int	erpret the data avall	y law to certify elevation information. able. I understand that any false			
Were latitude and longitude in Section A provide			○ Check here if attachments     ○ Check here if attac			
Certifier's Name HOWARD A. TRANSUE	License Number GS33541					
Title PROFESSIONAL LAND SURVEYOR			G533641 Place			
Company Name SCHAEFFER NASSAR SCHEIDEGG, CE, LLC			Seal			
Address 1425 CANTILLON BOULEVARD			Here			
City MAYS LANDING	State New Jersey	ZIP Code 08330	6/8/2017			
Signature // // // C	Date 06-08-2017	Telephone (609) 625-7400	Ext.			
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company. and (3) building owner.						
Comments (including type of equipment and local ITEM A8b VENTS ARE CRAWL SPACE DOOR ITEM C2e IS THE A.C. PAD.	ation, per C2(e). if applicable) SYSTEMS FLOOD VENTS N	ODEL 1632CS RAT	ED AT 835 SQ. IN. EACH.			

#### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the correspond	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and 209 N. IROQUOIS AVENUE	d/or Bldg. No.) or P.O. R	oute and Box No.	Policy Number:
,		P Code 3402	Company NAIC Number
SECTION E – BUILDING EL FOR ZONE	EVATION INFORMAT E AO AND ZONE A (W		REQUIRED)
For Zones AO and A (without BFE), complete Items E1 complete Sections A, B,and C. For Items E1–E4, use n enter meters.  E1. Provide elevation information for the following and	atural grade, if available	. Check the measure	ment used. In Puerto Rico only,
the highest adjacent grade (HAG) and the lowest a  a) Top of bottom floor (including basement,	adjacent grade (LAG).	execte driew whether	THE SEVERENCE ASSESSED.
crawlspace, or enclosure) is  b) Top of bottom floor (including basement, crawlspace, or enclosure) is		feet meter	
E2. For Building Diagrams 6–9 with permanent flood of the next higher floor (elevation C2.b in the diagrams) of the building is	penings provided in Sec		9 (see pages 1–2 of Instructions),
E3. Attached garage (top of slab) is		feet meter	
E4. Top of platform of machinery and/or equipment servicing the building is		feet meter	s above or below the HAG.
E5. Zone AO only: If no flood depth number is available floodplain management ordinance?   Yes			cordance with the community's certify this information in Section G.
SECTION F - PROPERTY OWN	IER (OR OWNER'S RE	PRESENTATIVE) CE	RTIFICATION 16-194
The property owner or owner's authorized representativ community-issued BFE) or Zone AO must sign here. Th	e who completes Sections e statements in Sections	ns A, B, and E for Zo s A. B. and E are corr	ne A (without a FEMA-issued or
Property Owner or Owner's Authorized Representative's		1-1-2-	100
Address	City	Sta	te ZIP Code
Signature	D	Tel	ephone
Comments	`	****	
			Check here if attachments.

#### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corr	FOR INSURANCE COMPANY USE						
Building Street Address (including Apt., Unit, S 209 N IROQUOIS AVENUE	ox No.	Policy Number:					
City MARGATE	State ZIP Code New Jersey 08402		Company NAIC Number				
SECTIO	ON G - COMMUNITY INFORMATION (OPT	ΓΙΟΝΑL)					
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.							
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)							
G2. A community official completed Sect or Zone AO.	ion E for a building located in Zone A (witho	ut a FEMA	A-issued or community-issued BFE)				
G3. The following information (Items G4-	G10) is provided for community floodplain r	manageme	ent purposes.				
G4. Permit Number	G5. Date Permit Issued		Date Certificate of Compliance/Occupancy Issued				
G7. This permit has been issued for:	New Construction Substantial Improve	ement					
G8. Elevation of as-built lowest floor (including of the building:	g basement)	feet	meters Datum				
G9. BFE or (in Zone AO) depth of flooding at	the building site:	feet	meters Datum				
G10. Community's design flood elevation:		feet	meters Datum				
Local Official's Name JIM GALANTINO	Title CFM						
Community Name	Telephone						
CITY OF MARGATE	609-822-1	1974					
Signature	Date 6/21/201	7					
Comments (including type of equipment and loa	cation, per C2(e), if applicable)						
			Check here if attachments.				

#### **BUILDING PHOTOGRAPHS**

#### **ELEVATION CERTIFICATE**

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, o	FOR INSURANCE COMPANY USE Policy Number:		
Building Street Address (including 209 N. IROQUOIS AVENUE			
City	State	ZIP Code	Company NAIC Number
MARGATE	New Jersey	08402	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One Caption FRONT VIEW AND RIGHT SIDE VIEW 16-194

Clear Photo One




Photo Two

Photo Two Caption FRONT VIEW AND LEFT SIDE VIEW

Clear Photo Two

#### **BUILDING PHOTOGRAPHS**

#### **ELEVATION CERTIFICATE**

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, o	FOR INSURANCE COMPANY USE		
Building Street Address (including 209 N. IROQUOIS AVENUE	Policy Number:		
City MARGATE	State New Jersey	ZIP Code 08402	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.




Photo Three Caption REAR VIEW

16-194

Clear Photo Three




Photo Four Caption CRAWL SPACE DOOR SYSTEMS FLOOD VENT MODEL 1632CS TYPICAL OF 2

Clear Photo Four

## Certification of Engineered Flood Openings

In accordance with NFIP, FEMA TB 1-08, and ASCE/SEI 24-05

I hereby certify that the Crawl Space Door Systems flood vents 816CS, 1220CS, 1232CS, 1616CS, 1624CS, 1632CS, 2032CS, 2424CS, and 2436CS are designed in accordance with the requirements of the NFIP "Flood Insurance Manual" (2011) to provide automatic equalization of hydrostatic flood forces by allowing for the entry and exit of floodwaters, when properly installed and sized as set forth below. This certification follows the design requirements and specifications established in FEMA Technical Bulletin 1-08, "Openings in Foundation Walls and Walls of Enclosures Below Elevated Buildings in Special Flood Hazard Areas", and the ASCE Standard for "Flood Resistant Design and Construction" (ASCE/SEI 24-05).

#### **Design Characteristics**

Section 2.6.2.2 of ASCE 24 provides an equation to determine the required net area of engineered openings (A<sub>o</sub>) for a given enclosed area (Ae). This equation is based on the hydraulic formula for the flow rate across sharp edged orifices. I have utilized this equation to calculate 1) the respected flow rate through the individual openings between louvers; 2) the flow rate through the main frame opening in case the louver is blown out during a flood event; and 3) the flow rate of water flowing through louver blades following hydraulic short tube theory. The ultimate maximum total enclosed area (Ae) that can be serviced by a single vent has then been determined by utilizing the lowest flow rate of the three assessed scenarios for each vent and is listed in Table 1.

These values are based on the following assumptions:

- In absence of reliable data, the rates of rise and fall have been assumed with 5 feet/hour;
- The (maximum) difference between the exterior and interior floodwater levels has been assumed with 1 foot during base flood conditions:
- A factor of safety of 5 has been assumed, which is consistent with design practices related to protection of life and property;
- The net area of openings (A<sub>o</sub>) as provided by the manufacturer.

*)	Model	HxW [in]	$A_o$ [in <sup>2</sup> ]	A <sub>e</sub> [ft <sup>2</sup> ]
	816CS	8 x 16	105	205
	1220CS	12 x 20	235	500
	1232CS	12 x 32	305	645
	1616CS	16 x 16	180	395
	1624CS	16 x 24	310	670
*	1632CS	16 x 32	405	835
	2032CS	20 x 32	630	1240
	2424CS	24 x 24	570	1230
	2436CS	24 x 36	850	1765

Table 1 Maximal total enclosed area (Ae) that can be served by each individual model based on the given net area of engineered openings (A<sub>o</sub>)

#### Installation Requirements and Limitations

This certification will be voided if the following installation requirements and limitations are not enforced:

- There shall be a minimum of two openings on different sides of each enclosed area:
- The bottom of each required opening shall be no more than 1ft above the adjacent ground level;
- No temporary (e.g. during cold weather) or permanent solid cover may be placed into or over the flood vent that would block the automatic entry or exit of floodwaters at any time;
- Where analysis indicates rates of rise and fall greater than 5 ft/hr, the total enclosed area as given in Table 1 shall be reduced accordingly to account for the higher rates of rise and fall.

#### Identification of the Building and Installed Flood Vents

The flood vent models marked in Table 1\*) are being installed at the following building:

**Building Address** 

209 N. IRGQUOIS AVENUE, MARGATE, N.

#### Certifying Design Professional

Name	WILLIAM S. SWIDERSKI, P.E.	
Title	ENGINEER	3 10 183
Address	599 SHORE ROAD, SOMERS POINT, NJ 08244	- 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
Type of License	PROFESSIONAL ENGINEER	TO GEAL OF
License #	20482 Signature	- 200
Issuing State	NEW JERSEY 7/24/(E	· · · · · ·

