U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

SECTION A - PROPERTY INFORMATION FOR INSURANCE COMPANY USE Building Owner's Name KEVIN & MICHELLE ENTRESS Policy Number: Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 505 N. CLERMONT AVENUE Company NAIC Number: CITYMARGATE A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) 3.01 BLOCK 804.01 A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL Long. - 74.50308° A5. Latitude/Longitude: Lat. 39, 339 22° Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number ____ A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage: 1653 sq ft a) Square footage of crawlspace or enclosure(s) a) Square footage of attached garage b) No. of permanent flood openings in the crawlspace or b) Number of permanent flood openings in the attached garage 12 enclosure(s) within 1.0 foot above adjacent grade within 1.0 foot above adjacent grade 2460 sq in Total net area of flood openings in A8.b Total net area of flood openings in A9.b d) Engineered flood openings? ΠNo d) Engineered flood openings? Yes ☐ No SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B1. NFIP Community Name & Community Number B2. County Name B3. State B4. Map/Panel Number B5. Suffix B6. FIRM Index Date B9. Base Flood Elevation(s) (Zone B7. FIRM Panel Effective/ B8. Flood Zone(s) Revised Date AO, use base flood depth) 10/18/83 345304 000 10/19/63 10,0 B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: √ FIRM ☐ Community Determined Other/Source: B11. Indicate elevation datum used for BFE in Item B9: MINGVD 1929 ☐ NAVD 1988 Other/Source: B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? -/----/ □ CBRS SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) 3-141 1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* □ Finished Construction *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/A0. Complete Items C2.a-h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. RM 2 NGVD 1929 Vertical Datum: _ Indicate elevation datum used for the elevations in items a) through h) below.

NGVD 1929 NAVD 1988 Other/Source: Datum used for building elevations must be the same as that used for the BFE. Check the measurement used. a) Top of bottom floor (including basement, crawlspace, or enclosure floor) ☑ feet ☐ meters b) Top of the next higher floor ☑ feet ☐ meters c) Bottom of the lowest horizontal structural member (V Zones only) NIA ☐ feet meters d) Attached garage (top of slab) NIA ☐ feet □ meters e) Lowest elevation of machinery or equipment servicing the building 12 ☑ feet □ meters (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) feet ☐ meters g) Highest adjacent (finished) grade next to building (HAG) feet ☐ meters h) Lowest adjacent grade at lowest elevation of deck or stairs, including □meters feet structural support SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. ☑ Check here if comments are provided on back of form. ☐ Check here if attachments. Were latitude and longitude in Section A provided by a licensed land surveyor? Yes ПМо Certifier's Name License Number G ≤ 3354 HOWARD Company Name SURVEYOR PR SCHAEFFER 11/2014 Address City State ZIP Códe 125 BOULEVARD MA N 08330 anature Date Telephone 625-740C 1609

ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy the corresponding information from Sect Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or PO. Ro SOS N. CLERMONT AVENUE City State MARGATE			FOR INSURANCE COMPANY USE
City State		1	Policy Number:
- Claic	ZIP Code		
MARGATE	08402		Company NAIC Number:
[®] SECTION D – SURVEYOR, ENGINEER, OR A	ARCHITECT CERT	IFICATION (CO	NTINUED)
Copy both sides of this Elevation Certificate for (1) community official, (2) insur	ance agent/company	, and (3) building	owner.
Comments 17EM A 8 b VENTS ARE GRAWL SPACE			
ITEM CZE IS THE A.C. PAD.			
Signature / / / /	Date 6/11/	14	
SECTION E – BUILDING ELEVATION INFORMATION (SURVEY N	NOT REQUIRED) F	OR ZONE AO A	AND ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is in For Items E1–E4, use natural grade, if available. Check the measurement used.	tended to sunnort a	LOMA or LOMP E	request, complete Sections A, B, and
E1. Provide elevation information for the following and check the appropriate bo	In Puerto Rico only, e	enter meters.	house or heless the highest set
grade (FAG) and the lowest adjacent grade (LAG).	xes to snow whether	the elevation is a	bove or below the highest adjacent
		feet meters	
		☐ feet ☐ meters	
 For Building Diagrams 6–9 with permanent flood openings provided in Section the next higher floor (elevation C2.b in the diagrams) of the building is 		<u></u>	
3. Attached garage (top of slab) is		」feet □ meters □ feet □ meters	
4. Top of platform of machinery and/or equipment servicing the building is		☐ feet ☐ meters	
5. Zone AO only: If no flood depth number is available, is the top of the bottom	floor elevated in acc	ordance with the o	community's floodplain management
ordinance? Yes No Unknown. The local official must certify thi	is information in Sect	ion G.	, a management
SECTION F - PROPERTY OWNER (OR OWN	ER'S REPRESENT	TATIVE) CERTIF	FICATION 13-141
ne property owner or owner's authorized representative who completes Section	s A B and E for Zon	o A (without a EEA	
one AO must sign here. The statements in Sections A, B, and E are correct to troperty Owner or Owner's Authorized Representative's Name	the best of my knowle	edge.	
ddress	City	State	ZIP Code
ignature	Date	Telep	hone
omments			
4			
			☐ Check here if attachments.
SECTION G - COMMUNITY II	NFORMATION (OF	PTIONAL)	
ne local official who is authorized by law or ordinance to administer the community	v's floodolain manage	ment ordinance ca	n complete Sections A. B. C. (or F.) and
of this Elevation Certificate. Complete the applicable item(s) and sign below. Che	eck the measurement	used in Items G8-	-G10. In Puerto Rico only, enter meters
 The information in Section C was taken from other documentation that who is authorized by law to certify elevation information. (Indicate the 	t has been signed an	nd sealed by a lice	ensed surveyor, engineer, or architec
2. A community official completed Section E for a building located in Zone	A (without a FEMA-iss	sued or community	v-issued BFE) or Zone AO.
3. \square The following information (Items G4–G9) is provided for community flo	odplain management	t purposes.	,
Permit Number	G6. Date	e Certificate Of Co	mpliance/Occupancy Issued
7. This permit has been issued for: ☐ New Construction ☐ Substantia	I Improvement		
3. Elevation of as-built lowest floor (including basement) of the building:		feet meters	Datum
9. BFE or (in Zone AO) depth of flooding at the building site:		feet meters	Datum
LO.Community's design flood elevation:	D:	feet \square meters	Datum
cal Official's Name JAMES GALANTINO	Title Cons	TRUCTION	OFFICIAL
ommunity Name MARGARE NJ	Telephone 82-2	-197 H	WITH L
// 1/114 /1-	Date 8	///	
gnature // C		114	
gnature // CL +	0/1/	7/	
	0/1/		
gnature // CL +			
gnature // CL +			☐ Check here if attachments.

Certification of Engineered Flood Openings

In accordance with the Code of Federal Regulations for the National Flood Insurance Program

I hereby certify that the Crawl Space Door Systems flood vents 816CS, 1220CS, 1232CS, 1616CS, 1624CS, 1632CS, 2032CS, 2424CS, and 2436CS are designed are designed in accordance with the requirements of the Code of Federal Regulations for the National Flood Insurance Program (NFIP) to provide automatic equalization of hydrostatic flood forces by allowing for the entry and exit of floodwaters, when properly installed and sized as set forth below. Vent opening measurements were measured and certified by Mr. Christopher Mark Loney, Virginia P.E. NO. 029000. Detailed calculations were prepared as outlined in "Review of certification of Engineered Flood Openings," prepared by Dr. Georg Reichard, Associate Professor of Building Construction, Virginia Tech (available upon request from Crawl Space Door Systems, Inc. billy@crawlspacedoors.com)

Design Characteristics

Section 2.6.2.2 of ASCE/SEI 24-05 provides an equation to determine the required net area of engineered openings (A_o) for a given enclosed area (A_e). This equation is based on the hydraulic formula for the flow rate across sharp edged orifices. I have utilized this equation to calculate 1) the restricted flow rate through the main frame opening in case the louver is blown out during a flood event; 2) the flow rate through the individual openings between louver blades; and 3) the flow rate through projected openings between louver blades following hydraulic short-tube theory. The maximum total enclosed area (A_e) that can be serviced by a single vent has then been determined by utilizing the lowest flow rate of the three assessed scenarios for each vent and is listed in Table 1. These values are based on the following assumptions:

- In absence of reliable data, the rates of rise and fall have been assumed at a minimum rate of 5 feet/hour;
- The (maximum) difference between the exterior and interior floodwater levels shall not exceed 1 foot during base flood conditions;
- A factor of safety of 5 has been assumed, which is consistent with design practices related to protection of life and property;
- The net area of openings (A_o) as provided by the manufacturer.

 * }	*) Model	11 X VV	Αď	Aو
		[in]	[in²]	[ft²]
	816CS	8 x 16	105	205
	1220CS	12 x 20	235	500
	1232CS	12 x 32	305	645
	1616CS	16 x 16	180	395
	1624CS	16 x 24	310	670
O	1632CS	16 x 32	405	835
	2032CS	20 x 32	630	1240
口	2424CS	24 x 24	570	1230
	2436CS	24 x 36	850	1765

HVW

Table 1 Maximum total <u>enclosed</u> <u>area</u> (A_e) that can be serviced by each individual model based on the given <u>net area</u> of engineered openings (A_o)

Installation Requirements and Limitations

This certification will be voided if the following installation requirements and limitations are not enforced:

- There shall be a minimum of two openings on different sides of each enclosed area subject to flooding;
- The bottom of all openings shall be no higher than one foot given net are above the higher of the interior or exterior grade that is immediately under each opening;
- No temporary (e.g. during cold weather) or permanent solid cover may be placed into or over the flood vent that would block the automatic entry or exit of floodwaters at any time;
- Where data or analyses indicate more rapid rates of rise and fall, the required number of openings shall be increased to account for those different conditions. The number or size of the openings may be decreased if data or analyses indicate rates of rise and fall are less than 5 feet per hour.

Certifying Design Professional		
Name WILLIAM S. SWIDERSKI, P.E.	Title ENGINEER	
Company SWIDERSKI ASSSOCIATES		
Address 599 SHORE ROAD SOMERS POINT, NJ		
License PROFESSIONAL ENGINEER	License No. 24GE02048200	
Signature: MM (1)	Date:	
dentification of the Building and Installed Flo	ood Vents (Ry Others)	
he flood vent models marked in Table 1*) are being installed	at the following building:	

5pring 2012

Building Address