U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program OMB No. 1660-0008 Expiration Date: November 30, 2018

JUN 132018

## **ELEVATION CERTIFICATE**

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFOR	FO	FOR INSURANCE COMPANY USE				
A1. Building Owner's Name			Policy Number:			
JWR Properties LLC						
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.			Company NAIC Number:			
2 S. Andover Ave.		7/0	Code			
CITY OF MARGATE	City State CITY OF MARGATE New Jersey					
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)  Block 101.02 Lot 1						
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL						
A5. Latitude/Longitude: Lat. N 39.3326 Long. Long.	A5. Latitude/Longitude: Lat. N 39.3326 Long. W 074.4933 Horizontal Datum: NAD 1927 X NAD 1983					
A6. Attach at least 2 photographs of the building if the Certifi	icate is being used to	obtain flood insurance	<b>)</b> .			
A7. Building Diagram Number6_						
A8. For a building with a crawlspace or enclosure(s):						
a) Square footage of crawlspace or enclosure(s)	1,200 sq ft			200		
b) Number of permanent flood openings in the crawlspa	ce or enclosure(s) wi	thin 1.0 foot above adj	acent gra	de6		
c) Total net area of flood openings in A8.b1,200	sq in					
d) Engineered flood openings? X Yes No						
A9. For a building with an attached garage:						
a) Square footage of attached garage0 sq ft						
b) Number of permanent flood openings in the attached	garage within 1.0 foo	ot above adjacent grad	e	0		
c) Total net area of flood openings in A9.b 0 sq in						
d) Engineered flood openings?  Yes  No						
a) Ligition of the light						
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION						
B1. NFIP Community Name & Community Number CITY OF MARGATE & 345304	B2. County Name ATLANTIC COUN		B3. State New Jersey			
Number Date	Effective/		(Zor	se Flood Elevation(s) one AO, use Base ood Depth)		
	Revised Date 18/1983	A8**	10**	и Бериі)		
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:						
☐ FIS Profile ☑ FIRM ☐ Community Determined ☐ Other/Source:						
B11. Indicate elevation datum used for BFE in Item B9: X NGVD 1929 NAVD 1988 Other/Source:						
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? 🗌 Yes 🗵 No						
Designation Date: CBRS DPA						
	G OPA					

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.					FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 2 S. Andover Ave.				Policy Number:			
City CITY OF	State MARGATE New		P Code 3402			Company NAIC Number	
	SECTION C - BUILDING ELE	VATION INFORM	ATION (SURV	EY RE	QUIRED)		
*A C2. Ele Co Be	uilding elevations are based on: Construction new Elevation Certificate will be required when co evations – Zones A1–A30, AE, AH, A (with BFE), Vomplete Items C2.a–h below according to the building enchmark Utilized: private dicate elevation datum used for the elevations in item NGVD 1929 NAVD 1988 Other/Si	nstruction of the buil YE, V1–V30, V (with ng diagram specifie Vertical Datur rms a) through h) be	BFE), AR, AR/A d in Item A7. In m: NGVD29	e. A, AR/A	AE, AR/A1-	·A30, A	ed Construction AR/AH, AR/AO. meters.
Da	atum used for building elevations must be the same	as that used for the	BFE.		Check t	he me	asurement used.
b)	Top of bottom floor (including basement, crawlspan Top of the next higher floor Bottom of the lowest horizontal structural member		13 N/A	5	X	feet feet	☐ meters ☐ meters ☐ meters
d)	Attached garage (top of slab)				X	feet	meters meters
e)	Lowest elevation of machinery or equipment serv (Describe type of equipment and location in Comm	icing the building nents)	11			feet	meters
f)	Lowest adjacent (finished) grade next to building	(LAG)		. 2		feet	meters meters
g)	Highest adjacent (finished) grade next to building	(HAG)		9	X	feet	meters meters
h)	Lowest adjacent grade at lowest elevation of declarate support	or stairs, including	N/A		X	feet	meters
	SECTION D - SURVEYOR,	ENGINEER, OR A	RCHITECT CE	RTIFI	CATION	,	
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.							
Were la	atitude and longitude in Section A provided by a lic	ensed land surveyor	r? ⊠Yes ∟	J No	⊠ Che	ck her	e if attachments.
	er's Name I. Koelling, PLS, CFM	License Number NJ24GS 04328800	0				
Title License	ed Land Surveyor						
Company Name Paul Koelling & Associates, LLC NJ C.O.A. No. 24GA28256300					Place Seal Here		
Addres 2161 S	ss Shore Road						
City Linwoo	od	State New Jersey	ZIP Code 08221				
Signatu	ure	Date 08/05/2016	Telephone (609) 927-0			(at Proper to	
Copy al	Il pages of this Elevation Certificate and all attachme	nts for (1) community	official, (2) insu	ırance a	agent/comp	any, ar	nd (3) building owner.
*A8b.) \$ **B8 & ***C2a.	ents (including type of equipment and location, per Smart Vents Model #1540-510 engineered for 200 B9.) FEMA Pre-FIRM Zone "AE"Base Flood El .) crawlspace enclosure e.) exterior air unit elev. 11.8, electrical outlet elev.	square inches of ne evation 10 ft. (NAVE	et area each 088) converted	= 11.3	ft. (NGVD2	9)	A.

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: in these spaces, copy the correspond	FOR INSURANCE COMPANY USE					
Building Street Address (including Apt., Unit, Suite, ar 2 S. Andover Ave.	nd/or Bldg. No.) or P.O. I	Route and Box No.	Policy Number:			
City CITY OF MARGATE		ZIP Code 08402	Company NAIC Number			
SECTION E – BUILDING E FOR ZON	LEVATION INFORMA IE AO AND ZONE A (1		REQUIRED)			
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.						
E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).						
<ul> <li>a) Top of bottom floor (including basement, crawlspace, or enclosure) is</li> <li>b) Top of bottom floor (including basement,</li> </ul>			rs above or below the HAG.			
crawlspace, or enclosure) is		feet meter	Source Superior Super			
E2. For Building Diagrams 6–9 with permanent flood the next higher floor (elevation C2.b in the diagrams) of the building is	openings provided in Se	ection A Items 8 and/or				
E3. Attached garage (top of slab) is			rs above or below the HAG.			
E4. Top of platform of machinery and/or equipment servicing the building is			rs above or below the HAG.			
E5. Zone AO only: If no flood depth number is availabed floodplain management ordinance? Yes			coordance with the community's certify this information in Section G.			
SECTION F - PROPERTY OW	VNER (OR OWNER'S R	EPRESENTATIVE) C	ERTIFICATION			
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.						
Property Owner or Owner's Authorized Representative's Name						
Address	City	Si	ate ZIP Code			
Signature	Date	T€	elephone			
Comments		n wions				
i.						
			Check here if attachments.			

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box N 2 S. Andover Ave.	o. Policy Number:				
City State ZIP Code CITY OF MARGATE New Jersey 08402	Company NAIC Number				
SECTION G - COMMUNITY INFORMATION (OPTION	L L				
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.					
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)					
G2. A community official completed Section E for a building located in Zone A (without a or Zone AO.	FEMA-issued or community-issued BFE)				
G3. The following information (Items G4–G10) is provided for community floodplain man	agement purposes.				
G4. Permit Number G5. Date Permit Issued	G6. Date Certificate of Compliance/Occupancy Issued				
G7. This permit has been issued for:   New Construction  Substantial Improveme	nt				
G8. Elevation of as-built lowest floor (including basement) of the building:	feet meters Datum				
G9. BFE or (in Zone AO) depth of flooding at the building site:	feet meters Datum				
G10. Community's design flood elevation:	feet meters Datum				
Local Official's Name Title					
Community Name  MANIAIR  Telephone  609-822-1971  Signature					
6/13/15					
Comments (including type of equipment and location, per C2(e), if applicable)					
	4				
	Check here if attachments.				

# **Building Photographs**

7 a	For Insurance Company Use: Policy Number		
Building Street Address (inclu 2 S. Andover Ave.			
City	State	ZIP Code	Company NAIC Number
Margate	NJ	08402	professional ratio → Mandala com ■ 20 - Anthrid Handrid - Handfield Three Secretarios de del

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.



Front View - Date of Photograph: (See Photo Stamp)







Right Side View - Date of Photograph: (See Photo Stamp)

Vent View - Date of Photograph: (See Photo Stamp)



## **ICC-ES Evaluation Report**

E8R-2074

Reissued February 1, 2009

This report is subject to re-examination in two years.

www.lcc-eq.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 10—SPECIALTIES
Section: 10230—Vents

REPORT HOLDER:

SMART VENT<sup>®</sup>, INC.
460 ANDBRO DRIVE, SUITE 2B
PITMAN, NEW JERSEY 08071
(866) 307-1468
www.smartyent.com
eyal@smartyent.com

#### **EVALUATION SUBJECT:**

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS:
FLOODVENT™ MODEL #1640-520; FLOODVENT™
STACKING MODEL #1640-521; SMARTVENT™ MODEL
#1640-510; SMARTVENT™ STACKING MODEL #1640-511;
WOOD WALL FLOOD MODEL #1640-570; WOOD WALL
FLOOD OVERHEAD DOOR MODEL #1640-574;
FLOODVENT™ OVERHEAD DOOR MODEL #1640-534;
SMARTVENT™ OVERHEAD DOOR MODEL #1640-514

## 1.0 . EVALUATION SCOPE

Compliance with the following codes:

- = 2006 International Building Code® (IBC)
- 2006 International Residential Code® (IRC)

## Properties evaluated:

- m Physical operation
- s Water flow

#### 2.0 USES

The Smart Vent<sup>®</sup> units are automatic foundation flood vents (AFFVs) employed to equalize hydrostatic pressure on nonfire-resistance-rated foundation wells, rolling-type overhead doors and building walls subject to rising-or falling flood waters. Certain models also allow natural ventilation in accordance with Section 1203 of the IBC or Section 408.1 of the IRC.

### 3.0 DESCRIPTION

#### 3.1 General:

When subjected to pressure from rising water, the Smart Vent<sup>®</sup> AFFVs disengage, then pivot open to allow flow in either direction to equalize water level and hydrostatic pressure from one side of the foundation to the other. The AFFV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water, the buoyant release device causes the unit to

unlatch, allowing the plate to rotate out of the way and allow flow. The water level stabilizes, equalizing the lateral forces. Each unit is fabricated from stainless steel, and each opening provides 76 square inches (49 032 mm²) of net free area for flood mitigation in the open poeition. The SmartVENT™ Stacking Model \$1540-511 and FloodVENT™ Stacking Model \$1540-521 units each contain two vertically arranged openings per unit, providing 152 square inches (96 064 mm²) of net free area for flood mitigation in the open poeition.

## 3.2 Engineered Opening:

The AFFVs comply with the design principle noted in Section 2.6.2.2 of ASCE/SEI 24 for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Smart Vent AFFVs must be installed in accordance with Section 4.0.

#### 3.3 Model Stree:

The FloodVENT™ Model #1540-520, SmartVENT™ Model #1540-510, FloodVENT™ Overhead Door Model #1540-524, and SmartVENT™ Overhead Door Model #1540-514 units measure 15³/4 inches wide by 7³/4 inches high (400 by 196.9 mm). The Wood Wall Flood Model #1540-570 and Wood Wall Flood Overhead Door Model #1540-570 units measure 14 inches wide by 8³/4 inches high (355.6 by 222.25 mm). The SmartVENT™ Stacking Model #1540-511 and FloodVENT™ Stacking Model #1540-521 units measure 16 inches wide by 16 inches high (406.4 by 406.4 mm).

### 3.4 Ventilation:

The SmartVENT® Model #1540-510 and SmartVENT® Overhead Door Model #1540-514 both have screen covers with ¹/₄Inch-by-¹/₄Inch (6.35 by 6.35 mm) openings, yielding 51 square inches (32 903 mm²) of net free area to supply natural ventilation. The SmartVENT™ Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65 806 mm²) of net free area to supply natural ventilation. Other AFFVs recognized in this report do not offer natural ventilation.

#### 4.0 INSTALLATION

SmartVENT® and FloodVENT™ are designed to be installed into wells or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. The mounting strape allow mounting in wood, masonry and concrete walls up to 12 inches (305 mm) thick. In order to

