U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

SEC	OR INSURANCE COMPANY USE				
A1. Building Owner's Name Marcia L. Orlando	olicy Number:				
A2. Building Street Address (including Apt., Unit, Suite, and/o 8519 Welington Avenue	r Bldg. No.) or P.O. Route and Box No		ompany NAIC Number:		
City Margate	State NJ ZIP Code 08	3402			
A3. Property Description (Lot and Block Numbers, Tax Parcel Block 714 Lot 11	Number, Legal Description, etc.)				
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential A5. Latitude/Longitude: Lat. 39°19′59.3" Long. 74°30′38.9" Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 9 A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage: a) Square footage of crawlspace or enclosure(s): 1,329 sq ft b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade 8 within 1.0 foot above adjacent grade 9 c) Total net area of flood openings? Nes No d) Engineered flood openings? Nes No					
	D INSURANCE RATE MAP (FIRM				
B1. NFIP Community Name & Community Number City of Margate - 345304	B2. County Name Atlantic County	B	3. State J		
B4. Map/Panel Number 345304 0001 B5. Suffix C B6. FIRM Index 06/18/71	Date B7. FIRM Panel Effective/Revised Date 10/18/83	B8. Flood Zone(s) A8	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 10'		
Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other/Source: Other/Source: NAVD 1988 Other/Source: Other/Source: S12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No Designation Date:					
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)					
SECTION C – BUILDING	ELEVATION INFORMATION (S	URVEY REQUIRE	D)		
SECTION C – BUILDING 21. Building elevations are based on: *A new Elevation Certificate will be required when construct 22. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- below according to the building diagram specified in Item A' Benchmark Utilized: 5.91' (Corpscon 6.0.1) Indicate elevation datum used for the elevations in items a) Datum used for building elevations must be the same as the	rawings* ☐ Building Under ion of the building is complete. -V30, V (with BFE), AR, AR/A, AR/AE 7. In Puerto Rico only, enter meters. Vertical Datum: NGVD29 through h) below. ☑ NGVD 1929 ☐	Construction* , AR/A1–A30, AR/AF NAVD 1988 Other	☑ Finished Construction I, AR/AO. Complete Items C2.a–h er/Source:		
 Building elevations are based on: Construction D *A new Elevation Certificate will be required when construct Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1-below according to the building diagram specified in Item A Benchmark Utilized: 5.91' (Corpscon 6.0.1) Indicate elevation datum used for the elevations in items a) Datum used for building elevations must be the same as the 	Prawings* ☐ Building Under ion of the building is complete. -V30, V (with BFE), AR, AR/A, AR/AE 7. In Puerto Rico only, enter meters. Vertical Datum: NGVD29 through h) below. ☑ NGVD 1929 ☐ at used for the BFE.	Construction* , AR/A1–A30, AR/AF NAVD 1988 □ Oth Check th	☐ Finished Construction I, AR/AO. Complete Items C2.a-h er/Source: be measurement used.		
 Building elevations are based on: Construction D *A new Elevation Certificate will be required when construct Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1-below according to the building diagram specified in Item A Benchmark Utilized: 5.91' (Corpscon 6.0.1) Indicate elevation datum used for the elevations in items a) 	Prawings* ☐ Building Under ion of the building is complete. -V30, V (with BFE), AR, AR/A, AR/AE 7. In Puerto Rico only, enter meters. Vertical Datum: NGVD29 through h) below. ☑ NGVD 1929 ☐ at used for the BFE.	Construction* , AR/A1–A30, AR/AF NAVD 1988 □ Othe Check th	☑ Finished Construction I, AR/AO. Complete Items C2.a–h er/Source:		
 Building elevations are based on:	Building Under ion of the building is complete. -V30, V (with BFE), AR, AR/A, AR/AE 7. In Puerto Rico only, enter meters. Vertical Datum: NGVD29 through h) below. ☒ NGVD 1929 ☐ at used for the BFE. enclosure floor) 7.5 13.8 n/a.	Construction* , AR/A1–A30, AR/AF NAVD 1988 □ Oth Check th ⊠	Finished Construction I, AR/AO. Complete Items C2.a-h er/Source: te measurement used. feet		
21. Building elevations are based on: *A new Elevation Certificate will be required when construct 22. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- below according to the building diagram specified in Item A' Benchmark Utilized: 5.91' (Corpscon 6.0.1) Indicate elevation datum used for the elevations in items a) Datum used for building elevations must be the same as the a) Top of bottom floor (including basement, crawlspace, or c) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zor d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the	Building Under ion of the building is complete. -V30, V (with BFE), AR, AR/A, AR/AE 7. In Puerto Rico only, enter meters. Vertical Datum: NGVD29 through h) below. ☑ NGVD 1929 ☐ at used for the BFE. enclosure floor) 7.5 13.8 n/a. n/a.	Construction* , AR/A1–A30, AR/AF NAVD 1988 □ Othe Check the E	Finished Construction I, AR/AO. Complete Items C2.a-h er/Source: e measurement used. feet		
21. Building elevations are based on: *A new Elevation Certificate will be required when construct 22. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- below according to the building diagram specified in Item A' Benchmark Utilized: 5.91' (Corpscon 6.0.1) Indicate elevation datum used for the elevations in items a) Datum used for building elevations must be the same as the a) Top of bottom floor (including basement, crawlspace, or b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zor d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments)	Building Under ion of the building is complete. -V30, V (with BFE), AR, AR/A, AR/AE 7. In Puerto Rico only, enter meters. Vertical Datum: NGVD29 through h) below. ☒ NGVD 1929 ☐ at used for the BFE. enclosure floor) 7.5 13.8 n/a. e building 12.5	Construction* , AR/A1–A30, AR/AF NAVD 1988 □ Other Check there □ □ □	Finished Construction I, AR/AO. Complete Items C2.a–h er/Source: te measurement used. feet		
21. Building elevations are based on: *A new Elevation Certificate will be required when construct 22. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- below according to the building diagram specified in Item A' Benchmark Utilized: 5.91' (Corpscon 6.0.1) Indicate elevation datum used for the elevations in items a) Datum used for building elevations must be the same as the a) Top of bottom floor (including basement, crawlspace, or c) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zor d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG)	Building Under ion of the building is complete. -V30, V (with BFE), AR, AR/A, AR/AE 7. In Puerto Rico only, enter meters. Vertical Datum: NGVD29 through h) below. ☒ NGVD 1929 ☐ at used for the BFE. enclosure floor) 7.5 13.8 n/a. e building 12.5	Construction* , AR/A1–A30, AR/AF NAVD 1988	Finished Construction I, AR/AO. Complete Items C2.a-h er/Source: te measurement used. feet		
21. Building elevations are based on: *A new Elevation Certificate will be required when construct 22. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- below according to the building diagram specified in Item A' Benchmark Utilized: 5.91' (Corpscon 6.0.1) Indicate elevation datum used for the elevations in items a) Datum used for building elevations must be the same as the a) Top of bottom floor (including basement, crawlspace, or b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zor d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments)	Building Under ion of the building is complete. -V30, V (with BFE), AR, AR/A, AR/AE 7. In Puerto Rico only, enter meters. Vertical Datum: NGVD29 through h) below. ☒ NGVD 1929 ☐ at used for the BFE. enclosure floor) 7.5 13.8 n/a. a building 6.5 7.0	Construction* , AR/A1–A30, AR/AF NAVD 1988	Finished Construction I, AR/AO. Complete Items C2.a–h er/Source: te measurement used. feet		
21. Building elevations are based on: *A new Elevation Certificate will be required when construct 22. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- below according to the building diagram specified in Item A' Benchmark Utilized: 5.91' (Corpscon 6.0.1) Indicate elevation datum used for the elevations in items a) Datum used for building elevations must be the same as the a) Top of bottom floor (including basement, crawlspace, or c) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zor d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent grade at lowest elevation of deck or stai	Building Under ion of the building is complete. -V30, V (with BFE), AR, AR/A, AR/AE 7. In Puerto Rico only, enter meters. Vertical Datum: NGVD29 through h) below. ☒ NGVD 1929 ☐ at used for the BFE. enclosure floor) 7.5 13.8 n/a. a building 6.5 7.0	Construction* , AR/A1–A30, AR/AF NAVD 1988	Finished Construction I, AR/AO. Complete Items C2.a-h er/Source: te measurement used. feet		
21. Building elevations are based on: *A new Elevation Certificate will be required when construct 22. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- below according to the building diagram specified in Item A' Benchmark Utilized: 5.91' (Corpscon 6.0.1) Indicate elevation datum used for the elevations in items a) Datum used for building elevations must be the same as the a) Top of bottom floor (including basement, crawlspace, or c) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zor d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent grade at lowest elevation of deck or stai	Building Under ion of the building is complete. -V30, V (with BFE), AR, AR/A, AR/AE 7. In Puerto Rico only, enter meters. Vertical Datum: NGVD29 through h) below. NGVD 1929 at used for the BFE. enclosure floor) 7.5 13.8 18.9 19.0 19.0 19.0 19.0 19.0 19.0 19.0 19	Construction* , AR/A1–A30, AR/AF NAVD 1988	Finished Construction I, AR/AO. Complete Items C2.a-h er/Source: te measurement used. If eet		
*A new Elevation Certificate will be required when construct *A new Elevation Certificate will be required when construct *2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- below according to the building diagram specified in Item A' Benchmark Utilized: 5.91' (Corpscon 6.0.1) Indicate elevation datum used for the elevations in items a) Datum used for building elevations must be the same as the a) Top of bottom floor (including basement, crawlspace, or e) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zor d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stai SECTION D – SURVEY This certification is to be signed and sealed by a land surveyor, information. I certify that the information on this Certificate repretation of the comments are provided on back of form.	Building Under ion of the building is complete. -V30, V (with BFE), AR, AR/A, AR/AE 7. In Puerto Rico only, enter meters. Vertical Datum: NGVD29 through h) below. NGVD 1929 at used for the BFE. enclosure floor) 7.5 13.8 n/a. a building 6.5 7.0 crs, including structural support 6.8 DR, ENGINEER, OR ARCHITECT engineer, or architect authorized by lates my best efforts to interpret the deserts my best efforts to interpret the desert interpret of the deserts my best efforts to interpret the desert interpret manual results. Code Were latitude and longitude in Section	Construction* , AR/A1–A30, AR/AF NAVD 1988	Finished Construction I, AR/AO. Complete Items C2.a-h er/Source: te measurement used. If eet		
*A new Elevations are based on: *A new Elevation Certificate will be required when construct *2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- below according to the building diagram specified in Item A' Benchmark Utilized: 5.91' (Corpscon 6.0.1) Indicate elevation datum used for the elevations in items a) Datum used for building elevations must be the same as the a) Top of bottom floor (including basement, crawlspace, or	Building Under ion of the building is complete. -V30, V (with BFE), AR, AR/A, AR/AE 7. In Puerto Rico only, enter meters. Vertical Datum: NGVD29 through h) below. NGVD 1929 through h) below. NGVD	Construction* , AR/A1–A30, AR/AF NAVD 1988	Finished Construction I, AR/AO. Complete Items C2.a-h er/Source: te measurement used. If eet		
*A new Elevations are based on: *A new Elevation Certificate will be required when construct *2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1- below according to the building diagram specified in Item A' Benchmark Utilized: 5.91' (Corpscon 6.0.1) Indicate elevation datum used for the elevations in items a) Datum used for building elevations must be the same as the a) Top of bottom floor (including basement, crawlspace, or	Building Under ion of the building is complete. -V30, V (with BFE), AR, AR/A, AR/AE 7. In Puerto Rico only, enter meters. Vertical Datum: NGVD29 through h) below. NGVD 1929 through h) below. NGVD	Construction* , AR/A1–A30, AR/AF NAVD 1988	Finished Construction I, AR/AO. Complete Items C2.a-h er/Source: te measurement used. If eet		

ELEVATION CERTIFICATE, page 2 IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR	INSURA	NCE C	OMPA	NY	USI

			THE RESERVE TO SHARE SHOWN		No. of Concession, Name of Street, or other Persons, Name of Street, Name of S		The second secon	
Building Street Address	(including Apt.,	Unit,	Suite,	and/or Bld	g. No.)	or P.O.	Route and E	Box No.
8519 Welington Avenue	_ = = = = = = = = = = = = = = =				-0 134334			

Building Street Address (including Apt 8519 Welington Avenue	t., Unit, Suite, and/or Bldg. No.) or P.O. Route and	Box No.	Policy Number:
City Margate	State NJ Z	IP Code 08402	Company NAIC Number:
SECTION	I D – SURVEYOR, ENGINEER, OR ARCHIT	ECT CERTIFICATION (C	CONTINUED)
Copy both sides of this Elevation Certi	ificate for (1) community official, (2) insurance ager	nt/company, and (3) building	owner.
Comments Altantic County, NJ - Prel C2. e) AC Unit Smart Vent Model 1549-510	liminary Work Map No. 34001C0434F revised Janu	ıary 30, 2015 - Zone AE / Bf	FE 9' (NAVD88) = 10.23' (NGVD29)
Signature	Date 1	0/08/15	10
SECTION BUILDING ELE	VATION INFORMATION (SURVEY NOT RE	QUIRED) FOR ZONE A	O AND ZONE A (WITHOUT BFE)
 and C. For Items E1–E4, use natural of E1. Provide elevation information for grade (HAG) and the lowest adjate a) Top of bottom floor (including b) Top of bottom floor (including b) Top of bottom floor (including E2. For Building Diagrams 6–9 with (elevation C2.b in the diagrams) E3. Attached garage (top of slab) is E4. Top of platform of machinery and E5. Zone AO only: If no flood depth 	basement, crawlspace, or enclosure) isbasement, crawlspace, or enclosure) ispermanent flood openings provided in Section A Ite of the building is feet met	n Puerto Rico only, enter meters how whether the elevation feet meters feet meters above or below the HAG.	eters. is above or below the highest adjacent above or below the HAG. above or below the LAG. i-9 of Instructions), the next higher floor the HAG. above or below the HAG.
SECTION	F – PROPERTY OWNER (OR OWNER'S R	EPRESENTATIVE) CER	TIFICATION
	zed representative who completes Sections A, B, a ments in Sections A, B, and E are correct to the bes ed Representative's Name	er flegen i Perce a centil Primare a communication all Present a consistencia a communication and com-	FEMA-issued or community-issued BFE)
Address	City	State	ZIP Code
Signature	Date	Telep	hone
Comments			
			☐ Check here if attachments.
	SECTION G - COMMUNITY INFORM		
	or ordinance to administer the community's floodplate applicable item(s) and sign below. Check the measi		
is authorized by law to certify 6 G2. A community official completed	was taken from other documentation that has been elevation information. (Indicate the source and dat d Section E for a building located in Zone A (withouts G4–G10) is provided for community floodplain materials.	e of the elevation data in the ut a FEMA-issued or commu	Comments area below.)
G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate Of Co	mpliance/Occupancy Issued
G7. This permit has been issued for: G8. Elevation of as-built lowest floor (in G9. BFE or (in Zone AO) depth of flood G10. Community's design flood elevation	ling at the building site:	ovement feet	Datum Datum Datum
Local Official's Name	Title		
Community Name		phone	
Signature	Date	1916/15	
Comments		en e	☐ Check here if attachments.

ELEVATION CERTIFICATE, page 3

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 8519 Welington Avenue			FOR INSURANCE COMPANY USE		
			Policy Number:		
City Margate	State NJ	ZIP Code 08402	Company NAIC Number:		

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Front Left



Front Right



Rear Left



Rear Right

Pictures taken on October 7, 2015