#### DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management ELEVATION CERTIFICAT				
<b>IMPORTANT:</b> FOLLOW THE INSTRUCTION	S ON PAGES	6 9-16		Number: 1660-0008 Number: 11/30/2018
Copy all pages of this Elevation Certificate and all attachments for (1) comm	unity official, (2) in:	FORM INSUF		
SECTION A - PROPERTY INFORMATION A1. Building Owner's Name MARY LOUISA STEWARD		Policy Numbe		ANTUSE
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No. Box No. 8710 FREMONT AVENUE	) or P.O. Route ar	d Company NA Number:	IC	
City MARGATE	State N.		Zip Code	08402
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, L				00402
BLOCK 517 LOT 9				
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory		IAL		
A5. Latitude/Longitude: Lat. <u>39 19'49.1"</u> Long. <u>74 30' 40.3"</u>	Horizontal Datum:	C NAD 1927	( NAD 19	83
A6. Attach at least 2 photographs of the building if the Certificate is being	used to obtain flo	od insurance.		
A7. Building Diagram Number 8				
A8. For a building with a crawlspace or enclosure(s):	A9. For a bu	ilding with an attac	hed garage:	
a) Square footage of crawlspace or enclosure(s) 1332. sq ft	a) Square fo	otage of attached g	arage	sq ft
b) Number of permanent flood openings in the 7. crawlspace or enclosure(s) within 1.0 foot above adjacent grade	in the atta	f permanent flood c ched garage within acent grade		8
c) Total net area of flood openings in A8.b 1400. sq ir	n c) Total net a	rea of flood openin	gs in A9.b	sq ir
d) Engineered flood openings?   Yes   No		d flood openings?	C Yes	• No
SECTION B - FLOOD INSURANCE R			•	
	ounty Name			B3. State NJ
		8. Flood Zone(s)		od Elevation(s)
345304/0001 C Revised Jul 1, 2014 Oct 28, 198	A	-8	depth	), use base flood
310. Indicate the source of the Base Flood Elevation (BFE) data or base flo	ood depth entered	l in Item B9:		
C FIS Profile  FIRM C Community Determined C Other/Source	:			
811. Indicate elevation datum used for BFE in Item B9: ( NGVD 1929 (	ONAVD 1988	Other/Source:		
312. Is the building located in a Coastal Barrier Resources System (CBRS)	) area or Otherwis	e Protected Area (0		es ( No
Designation Date: CCBRS COPA	1			•
SECTION C - BUILDING ELEVATION INF	ORMATION (SU	RVEY REQUIRED)		
C1. Building elevations are based on: C Construction Drawings* C B	uilding Under Cor	nstruction*	Finished Con	
22. Elevations - Zones A1 - A30, AE, AH, A (with BFE), VE, V1 - V30, V (v	vith BFE), AR, AR	/A, AR/AE, AR/A1 -	- A30, AR/AH,	AR/AO.
Complete Items C2.a -h below according to the building diagram specified i A new Elevation Certificate will be required when construction of the build		no Rico only, enter	meters.	
	0			
Senchmark Utilized: RM-4 Indicate elevation datum used for the elevations in items a) through h) belo	/ertical Datum: <u>NG</u>			
Other/Source:	W. (• NGVD 192	9 ( NAVD 1900		
atum used for building elevations must be the same as that used for the B	IFE.		Check the me	asurement used,
) Top of bottom floor (including basement, crawlspace, or enclosure floor)	1	- 02	( feet	C meters
Top of the next higher floor	14	- 32	( feet	Cimeters
Bottom of the lowest horizontal structural member (V Zones only)	N/A		( feet	C meters
Attached garage (top of slab)	<u>N/A</u>		( feet	Cometers
Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	<u>*14</u>	- 32	( feet	C meters
Lowest adjacent (finished) grade next to building (LAG)	6	- 55	( feet	( meters
Highest adjacent (finished) grade next to building (HAG)	7	- 20	( feet	C meters
Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	6	- 67	( feet	C meters

8

. . . . .

## **ELEVATION CERTIFICATE**

SECTION				
	D - SURVEYOR, ENGINE	ER, OR ARCHITECT C		
This certification is to be signed and sealed to that the information on this Certificate repres punishable by fine or imprisonment under 18	by a land surveyor, engine ents my best efforts to int	eer, or architect authorize erpret the data available.	d by law to certify elevation info	
X Check here if attachments.	Were latitude and log provided by a license			
	( Yes C No	0		
Certifier's Name DANIEL J. PONZIO, SR.		ense Number 337603	5.017	
Title LAND SURVEYOR	Company Name ARTHUR W. PONZIC	O CO. & ASSOC.INC	SEAL HERE	
Addrees	City ATLANTIC CITY	State Zip Code NJ 08401		
Signature	Date JUNE 23, 2016	Telephone +1 (609) 344-8194		
Copy both sides of this Elevation Certificate for	or (1) community official,	(2) insurance agent/comp	any, and (3) building owner.	
Comments (including type of equipment and				
PROJECT # 32830 SMART VENT MODEL	. 1540-510 AC UNIT	ELEVATION = 14.75'	* H EATER	
		1		
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	/		
For Zones AO and A (without BFE), complete Sections A, B,and C. For Items E1 -E4, use na E1. Provide elevation information for the follow	atural grade, if available.	Check the measurement priate boxes to show whe	used. In Puerto Rico only, ente	r meters.
Sections A, B, and C. For Items E1 -E4, use na	atural grade, if available. ( ving and check the approperation of the state of the	Check the measurement priate boxes to show whe	used. In Puerto Rico only, ente ther the elevation is above or b	er meters.
<ul> <li>Sections A, B, and C. For Items E1 -E4, use na</li> <li>E1. Provide elevation information for the follow highest adjacent grade (HAG) and the low</li> <li>a) Top of bottom floor (including basemen</li> </ul>	atural grade, if available, of ving and check the appro est adjacent grade (LAG) t, crawlspace,	Check the measurement priate boxes to show whe	used. In Puerto Rico only, ente ther the elevation is above or b meters above or b	elow the HA
<ul> <li>Sections A, B, and C. For Items E1 -E4, use na E1. Provide elevation information for the follow highest adjacent grade (HAG) and the low</li> <li>a) Top of bottom floor (including basemen or enclosure) is</li> <li>b) Top of bottom floor (including basemen</li> </ul>	atural grade, if available, of ving and check the appro est adjacent grade (LAG) t, crawlspace, t, crawlspace, t, crawlspace,	Check the measurement priate boxes to show whe (feet () (feet () n t in Section A Items 8 and	used. In Puerto Rico only, ente ther the elevation is above or b meters above or b neters above or be	er meters. below the elow the HAG elow the LAG ctions), the n
<ul> <li>Sections A, B, and C. For Items E1-E4, use na E1. Provide elevation information for the follow highest adjacent grade (HAG) and the low a) Top of bottom floor (including basemen or enclosure) is</li> <li>b) Top of bottom floor (including basemen or enclosure) is</li> <li>E2. For Building Diagrams 6 -9 with permanen</li> </ul>	atural grade, if available, of ving and check the appro est adjacent grade (LAG) t, crawlspace, t, crawlspace, t, crawlspace,	Check the measurement priate boxes to show whe (feet () (feet () n t in Section A Items 8 and	used. In Puerto Rico only, enter ther the elevation is above or b meters above or b heters above or be Wor 9 (see pages 8 - 9 of Instruc meters above or b	er meters. below the elow the HAG clow the LAG ctions), the no elow the HAG
<ul> <li>Sections A, B, and C. For Items E1-E4, use na E1. Provide elevation information for the follow highest adjacent grade (HAG) and the low a) Top of bottom floor (including basemen or enclosure) is</li> <li>b) Top of bottom floor (including basemen or enclosure) is</li> <li>E2. For Building Diagrams 6 -9 with permanen igher floor (elevation C2.b in the diagrams) of</li> </ul>	atural grade, if available, of ving and check the appropert est adjacent grade (LAG) t, crawlspace, t, crawlspace, t flood openings provided the building is	Check the measurement priate boxes to show whe 	used. In Puerto Rico only, ente ther the elevation is above or b meters above or be heters above or be for 9 (see pages 8 - 9 of Instruc meters above or be heters above or be	er meters. below the elow the HAG ctions), the n elow the HAG
<ul> <li>Sections A, B, and C. For Items E1-E4, use na E1. Provide elevation information for the follow highest adjacent grade (HAG) and the low a) Top of bottom floor (including basemen or enclosure) is</li> <li>b) Top of bottom floor (including basemen or enclosure) is</li> <li>2. For Building Diagrams 6 -9 with permanen igher floor (elevation C2.b in the diagrams) of</li> <li>3. Attached garage (top of slab) is</li> <li>4. Top of platform of machinery and /or equip ervicing the building is</li> <li>5. Zone AO only: If no flood depth number is</li> </ul>	atural grade, if available, of ving and check the appropert est adjacent grade (LAG) t, crawlspace, t, crawlspace, t flood openings provided the building is	Check the measurement priate boxes to show whe feet C feet C n fin Section A Items 8 and fin Section A Items 8 and fin C feet C n feet C n feet C n feet C n feet C n	used. In Puerto Rico only, ente ther the elevation is above or b meters above or be dor 9 (see pages 8 - 9 of Instruc meters above or be eters above or be eters be above or be eters be be be be be be be be accordance with the communit	er meters. elow the elow the HAG ctions), the n elow the HAG elow the HAG
<ul> <li>Sections A, B, and C. For Items E1-E4, use na E1. Provide elevation information for the follow highest adjacent grade (HAG) and the low a) Top of bottom floor (including basemen or enclosure) is</li> <li>b) Top of bottom floor (including basemen or enclosure) is</li> <li>E2. For Building Diagrams 6 -9 with permanen igher floor (elevation C2.b in the diagrams) of 3. Attached garage (top of slab) is</li> <li>4. Top of platform of machinery and /or equip ervicing the building is</li> <li>5. Zone AO only: If no flood depth number is nanagement ordinance? C Yes C No (SECTION F - PROP)</li> </ul>	atural grade, if available, of ving and check the appro- est adjacent grade (LAG) t, crawlspace, t, crawlspace, t flood openings provided t the building is ment available, is the top of the Unknown. The local of ERTY OWNER (OR OW)	Check the measurement priate boxes to show whe find the section A Items 8 and find Section A Items 8 and find Section A Items 8 and find Section A Items 8 and field field field field field field field field field field field must certify this infor NER'S REPRESENTATION	used. In Puerto Rico only, enter ther the elevation is above or b meters above or be lor 9 (see pages 8 - 9 of Instruc meters above or be reters above or be reters above or be reters be above or be accordance with the communit rmation in Section G.	er meters. below the elow the HAG ctions), the n elow the HAG elow the HAG low the HAG
<ul> <li>Sections A, B, and C. For Items E1-E4, use na E1. Provide elevation information for the follow highest adjacent grade (HAG) and the low a) Top of bottom floor (including basemen or enclosure) is</li> <li>b) Top of bottom floor (including basemen or enclosure) is</li> <li>22. For Building Diagrams 6 -9 with permanen igher floor (elevation C2.b in the diagrams) of 33. Attached garage (top of slab) is</li> <li>44. Top of platform of machinery and /or equip ervicing the building is</li> <li>5. Zone AO only: If no flood depth number is nanagement ordinance? C Yes C No (</li> </ul>	atural grade, if available, of ving and check the appropert est adjacent grade (LAG) t, crawlspace, t, crawlspace, t flood openings provided t the building is ment available, is the top of the C Unknown. The local of ERTY OWNER (OR OWI esentative who completes here. The statements in	Check the measurement priate boxes to show whe 	used. In Puerto Rico only, ente ther the elevation is above or b meters above or be deters above or be vor 9 (see pages 8 - 9 of Instruc meters above or be deters above or be eters above or be accordance with the communit rmation in Section G. VE) CERTIFICATION Zone A (without a FEMA-issue	er meters. below the elow the HAG ctions), the n elow the HAG elow the HAG low the HAG low the HAG
<ul> <li>Sections A, B, and C. For Items E1-E4, use na E1. Provide elevation information for the follow highest adjacent grade (HAG) and the low a) Top of bottom floor (including basemen or enclosure) is</li> <li>b) Top of bottom floor (including basemen or enclosure) is</li> <li>E2. For Building Diagrams 6 -9 with permanen igher floor (elevation C2.b in the diagrams) of 3. Attached garage (top of slab) is</li> <li>E4. Top of platform of machinery and /or equipervicing the building is</li> <li>5. Zone AO only: If no flood depth number is nanagement ordinance? C Yes C No C SECTION F - PROP he property owner or owner's authorized reprommunity-issued BFE) or Zone AO must sign</li> </ul>	atural grade, if available, of ving and check the appropert est adjacent grade (LAG) t, crawlspace, t, crawlspace, t flood openings provided t the building is ment available, is the top of the C Unknown. The local of ERTY OWNER (OR OWI esentative who completes here. The statements in	Check the measurement priate boxes to show whe 	used. In Puerto Rico only, ente ther the elevation is above or b meters above or be deters above or be vor 9 (see pages 8 - 9 of Instruc meters above or be deters above or be eters above or be accordance with the communit rmation in Section G. VE) CERTIFICATION Zone A (without a FEMA-issue	er meters. below the elow the HAG ctions), the n elow the HAG elow the HAG low the HAG low the HAG
<ul> <li>Sections A, B, and C. For Items E1-E4, use na E1. Provide elevation information for the follow highest adjacent grade (HAG) and the low a) Top of bottom floor (including basemen or enclosure) is</li> <li>b) Top of bottom floor (including basemen or enclosure) is</li> <li>c) For Building Diagrams 6 -9 with permanen igher floor (elevation C2.b in the diagrams) of 3. Attached garage (top of slab) is</li> <li>4. Top of platform of machinery and /or equip ervicing the building is</li> <li>5. Zone AO only: If no flood depth number is nanagement ordinance? Yes C No (SECTION F - PROP he property owner or owner's authorized repromunity-issued BFE) or Zone AO must sign Property Owner or Owner's Authorized Represented and the substantiation of the substantiation of the substantiation of the substantiation of the property owner or Owner's Authorized Represented and the substantiation of the substantiation of the substantiation of the property Owner or Owner's Authorized Represented and the substantiation of the substantiation of the substantiation of the substantiation of the property Owner or Owner's Authorized Represented and the substantiation of the substantiation of the property Owner or Owner's Authorized Represented and the substantiation of the substantiation of the property Owner or Owner's Authorized Represented and the substantiation of the substantiation of the property Owner or Owner's Authorized Represented and the substantiation of the substantiation of the property Owner or Owner's Authorized Represented and the substantiation of the substantiat</li></ul>	atural grade, if available, of ving and check the appropert est adjacent grade (LAG) t, crawlspace, t, crawlspace, t flood openings provided t the building is ment available, is the top of the C Unknown. The local of ERTY OWNER (OR OWI esentative who completes here. The statements in	Check the measurement priate boxes to show whe find in Section A Items 8 and fin Section A Items 8 and find C feet C n feet C n feet C n feet C n ficial must certify this infor NER'S REPRESENTATION s Sections A, B, and E for Sections A, B, and E are	used. In Puerto Rico only, enter ther the elevation is above or b meters above or be deters above or be lor 9 (see pages 8 - 9 of Instruc meters above or be deters above or be eleters above or be eleters be above or be eleters be be above or be eleters be be be above or be accordance with the communit rmation in Section G. <u>VE) CERTIFICATION</u> Zone A (without a FEMA-issue correct to the best of my knowled ZIP Code	er meters. below the elow the HAG ctions), the n elow the HAG elow the HAG low the HAG low the HAG

ELEVATION CERTIFICATE				OMB No. 1660-0008 Expiration Date: November 30, 2018
IMPORTANT: In these spaces, copy the corr	esponding information	n from Section A.		FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, S 8710 FREMONT AVENUE	uite, and/or Bldg. No.) o	r P.O. Route and Box	(No.	Policy Number:
City MARGATE	State New Jersey	ZIP Code 08402		Company NAIC Number
SECTIO	ON G - COMMUNITY IN	FORMATION (OPTIC	ONAL)	
The local official who is authorized by law or of Sections A, B, C (or E), and G of this Elevatior used in Items G8–G10. In Puerto Rico only, er	n Certificate. Complete th			
G1. The information in Section C was tak engineer, or architect who is authoriz data in the Comments area below.)				
G2. A community official completed Sect or Zone AO.	ion E for a building locat	ed in Zone A (without	t a FEMA	-issued or community-issued BFE)
G3. The following information (Items G4-	-G10) is provided for cor	mmunity floodplain ma	anageme	nt purposes.
G4. Permit Number	G5. Date Permit Issue	əd		ate Certificate of ompliance/Occupancy Issued
G7. This permit has been issued for:	New Construction	Substantial Improven	nent	
G8. Elevation of as-built lowest floor (including of the building:	g basement)		🗌 feet	meters Datum
G9. BFE or (in Zone AO) depth of flooding at	the building site:		🗌 feet	meters Datum
G10. Community's design flood elevation:			🗌 feet	meters Datum
Local Official's Name		Title CFM		
JIM GALANTINO		Telephone		
		609-822-19	74	
Signature		Date 6/28/2016		
Comments (including/type of equipment and lo	cation per C2(e) if appl	icable)		
				Check here if attachments.

#### **BUILDING PHOTOGRAPHS**

See instructions for Item A6

#### OMB Control Number: 1660-0008 Expiration: 11/30/2018

IMPORTANT: In these spaces, copy the corr	esponding information f	rom Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Su 8710 FREMONT AVENUE	ite, and/or Bldg. No.) or P	.O. Route and Box N	No. Policy Number:
City MARGATE	State <sub>NJ</sub>	Zip Code 08402	Company NAIC Number:
If using the Elevation Certificate to obtain NFIP fi Item A6. Identify all photographs with date taker applicable, photographs must show the foundation submitting more photographs than will fit on this	n; "Front view" and Rear vi on with representative exa	iew"; and, if required amples of the flood of	, "Right Side View" and "Left Side View." Whe
SEE ATTACHED PHOTOS			

## **BUILDING PHOTOGRAPHS**

Continuation Page

#### OMB Control Number: 1660-0008 Expiration: 11/30/2018

IMPORTANT: In these spaces, copy the correspond	ing information fro	m Section A.	FORM INSURANCE COMPANY USE
Building Street Address (including Apt., Unit,Suite, and/	or Bldg. No.) or P.O.	Route and Box No.	Policy Number:
8710 FREMONT AVENUE			
City	State	Zip Code	Company NAIC Number:
MARGATE	NJ	08402	
If submitting more photographs than will fit on the preced taken; "Front View" and "Rear View" and, if required, "R foundation with representative examples of the flood ope	ight Side View" and	"Left Side View." When a	ow. Identify all photographs with: date pplicable, photographs must show the


•

# PHOTOS TAKEN ON 6/22/16

# 8710 FREMONT AVENUE, MARGATE, N.J.









DIVISION: 08 00 00—OPENINGS SECTION: 08 95 43—VENTS/FOUNDATION FLOOD VENTS

**REPORT HOLDER:** 

# **SMARTVENT PRODUCTS, INC.**

430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071

**EVALUATION SUBJECT:** 

# SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514



Look for the trusted marks of Conformity!

"2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence"

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.





A Subsidiary of

Copyright <sup>©</sup> 2017 ICC Evaluation Service, LLC. All rights reserved.



# **ICC-ES Evaluation Report**

Most Widely Accepted and Trusted

ESR-2074

Reissued February 2017 Revised November 2017 This report is subject to renewal February 2019.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

DIVISION: 08 00 00—OPENINGS Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

SMARTVENT PRODUCTS, INC. 430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071 (877) 441-8368 www.smartvent.com info@smartvent.com

#### **EVALUATION SUBJECT:**

SMART VENT<sup>®</sup> AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514

#### 1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2015, 2012, 2009 and 2006 *International Building Code*<sup>®</sup> (IBC)
- 2015, 2012, 2009 and 2006 International Residential Code<sup>®</sup> (IRC)
- 2013 Abu Dhabi International Building Code (ADIBC)<sup>†</sup>

 $^{\dagger} \text{The ADIBC}$  is based on the 2009 IBC. 2009 IBC code sections referenced in this report are the same sections in the ADIBC.

#### Properties evaluated:

- Physical operation
- Water flow

#### 2.0 USES

The Smart Vent<sup>®</sup> units are engineered mechanically operated flood vents (FVs) employed to equalize hydrostatic pressure on walls of enclosures subject to rising or falling flood waters. Certain models also allow natural ventilation.

## 3.0 DESCRIPTION

#### 3.1 General:

When subjected to rising water, the Smart Vent<sup>®</sup> FVs internal floats are activated, then pivot open to allow flow in either direction to equalize water level and hydrostatic pressure from one side of the foundation to the other. The FV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water,

A Subsidiary of the International Code Council®

the buoyant release device causes the unit to unlatch, allowing the door to rotate out of the way and allow flow. The water level stabilizes, equalizing the lateral forces. Each unit is fabricated from stainless steel. Smart Vent<sup>®</sup> Automatic Foundation Flood Vents are available in various models and sizes as described in Table 1. The SmartVENT<sup>®</sup> Stacking Model #1540-511 and FloodVENT<sup>®</sup> Stacking Model #1540-521 units each contain two vertically arranged openings per unit.

#### 3.2 Engineered Opening:

The FVs comply with the design principle noted in Section 2.7.2.2 and Section 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)] for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Smart Vent FVs must be installed in accordance with Section 4.0.

#### 3.3 Ventilation:

The SmartVENT<sup>®</sup> Model #1540-510 and SmartVENT<sup>®</sup> Overhead Door Model #1540-514 both have screen covers with <sup>1</sup>/<sub>4</sub>-inch-by-<sup>1</sup>/<sub>4</sub>-inch (6.35 by 6.35 mm) openings, yielding 51 square inches (32 903 mm<sup>2</sup>) of net free area to supply natural ventilation. The SmartVENT<sup>®</sup> Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65 806 mm<sup>2</sup>) of net free area to supply natural ventilation. Other FVs recognized in this report do not offer natural ventilation.

## 4.0 DESIGN AND INSTALLATION

SmartVENT<sup>®</sup> and FloodVENT<sup>®</sup> are designed to be installed into walls or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. Installation clips allow mounting in masonry and concrete walls of any thickness. In order to comply with the engineered opening design principle noted in Section 2.7.2.2 and 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)], the Smart Vent<sup>®</sup> FVs must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 200 square feet (18.6 m<sup>2</sup>) of enclosed area, except that the SmartVENT<sup>®</sup> Stacking Model #1540-511 and FloodVENT<sup>®</sup> Stacking Model #1540-521 must be

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.



installed with a minimum of one FV for every 400 square feet  $(37.2 \text{ m}^2)$  of enclosed area.

- Below the base flood elevation.
- With the bottom of the FV located a maximum of 12 inches (305.4 mm) above the higher of the final grade or floor and finished exterior grade immediately under each opening.

#### 5.0 CONDITIONS OF USE

The Smart Vent<sup>®</sup> FVs described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

**5.1** The Smart Vent<sup>®</sup> FVs must be installed in accordance with this report, the applicable code and the manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern.

**5.2** The Smart Vent<sup>®</sup> FVs must not be used in the place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.

#### 6.0 EVIDENCE SUBMITTED

Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015.

## 7.0 IDENTIFICATION

The Smart VENT<sup>®</sup> models recognized in this report must be identified by a label bearing the manufacturer's name (Smartvent Products, Inc.), the model number, and the evaluation report number (ESR-2074).

MODEL NAME	MODEL NUMBER	MODEL SIZE (in.)	COVERAGE (sq. ft.	
FloodVENT <sup>®</sup>	1540-520	15 <sup>3</sup> /4" X 7 <sup>3</sup> /4"	200	
SmartVENT <sup>®</sup>	1540-510	15 <sup>3</sup> /4" X 7 <sup>3</sup> /4"	200	
FloodVENT <sup>®</sup> Overhead Door	1540-524	15 <sup>3</sup> / <sub>4</sub> " X 7 <sup>3</sup> / <sub>4</sub> "	200	
SmartVENT <sup>®</sup> Overhead Door	1540-514	15 <sup>3</sup> /4" X 7 <sup>3</sup> /4"	200	
Wood Wall FloodVENT <sup>®</sup>	1540-570	14" X 8 <sup>3</sup> / <sub>4</sub> "	200	
Wood Wall FloodVENT® Overhead Door	1540-574	14" X 8 <sup>3</sup> / <sub>4</sub> "	200	
SmartVENT <sup>®</sup> Stacker	1540-511	16" X 16"	400	
FloodVent <sup>®</sup> Stacker	1540-521	16" X 16"	400	

TABLE 1-MODEL SIZES

For SI: 1 inch = 25.4 mm; 1 square foot =  $m^2$ 




FIGURE 1-SMART VENT: MODEL 1540-510




FIGURE 2-SMART VENT MODEL 1540-520




FIGURE 3-SMART VENT: SHOWN WITH FLOOD DOOR PIVOTED OPEN