### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

# **ELEVATION CERTIFICATE**

Important: Follow the instructions on pages 1–9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE			
A1. Building Owner's Name Scott Paymer	Policy Number:			
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg Box No.  120 N. Huntington Avenue	Company NAIC Number:			
City S Margate N	ZIP Code 08402			
A3. Property Description (Lot and Block Numbers, Tax Parcel Numbers, 310.01, Lot 15.02	per, Legal Description, etc.)			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Acce	ssory, etc.) Residential			
A5. Latitude/Longitude: Lat. 39° 19'53.5" N Long. 74° 30'	13.3" W Horizontal Datum	n: NAD 1927 X NAD 1983		
A6. Attach at least 2 photographs of the building if the Certificate is	being used to obtain flood insura	ance.		
A7. Building Diagram Number7_				
A8. For a building with a crawlspace or enclosure(s):				
a) Square footage of crawlspace or enclosure(s)	875.00 sq ft			
b) Number of permanent flood openings in the crawlspace or er	iclosure(s) within 1.0 foot above	adjacent grade 5		
c) Total net area of flood openings in A8.b1250.0	0 sq in			
d) Engineered flood openings? 🗵 Yes 🗌 No				
A9. For a building with an attached garage:				
a) Square footage of attached garage00.0	00 sq ft			
b) Number of permanent flood openings in the attached garage	within 1.0 foot above adjacent g	grade <u>0</u>		
c) Total net area of flood openings in A9.b	.00 sq in			
d) Engineered flood openings?   Yes   No				
SECTION B – FLOOD INSURANCE	RATE MAP (FIRM) INFORMA	ATION		
	County Name	B3. State		
Margate City 345304 Atlar	•	New Jersey		
B4. Map/Panel B5. Suffix B6. FIRM Index B7. FIRM Pa Date Effective/Revised	Zone(s) (2	Base Flood Elevation(s) Zone AO, use Base Flood Depth)		
345304/0434 F 08-28-2018 08-28-2018	AE 9.00'			
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:  [ FIS Profile  FIRM  Community Determined  Other/Source:				
B11. Indicate elevation datum used for BFE in Item B9:   NGVD 1929   NAVD 1988   Other/Source:				
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? 🗌 Yes 🗵 No				
Designation Date: ☐ CBRS ☐ C	PA			

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.				FOR INSU	JRANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 120 N. Huntington Avenue			Policy Nun		
City Marga	Stat New	te ZIP w Jersey 084	Code 02	Company	NAIC Number
	SECTION C - BUILDING ELE	EVATION INFORMAT	ION (SURVEY RE	QUIRED)	
C2.	C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: Local Vertical Datum: NAVD 1988  Indicate elevation datum used for the elevations in items a) through h) below.  NGVD 1929 X NAVD 1988 Other/Source:				
	Datum used for building elevations must be the same				the measurement used.
	a) Top of bottom floor (including basement, crawlsp.      Department between the post bigher floor.	ace, or enclosure floor		8.8 × 17.7 ×	feet
	b) Top of the next higher floor	217			_
	c) Bottom of the lowest horizontal structural membe	r (V ∠ones only)			feet meters
-	d) Attached garage (top of slab)	* * #- > building		<u> </u>	leer   Illetera
	e) Lowest elevation of machinery or equipment serv (Describe type of equipment and location in Com	ricing the building iments)		19.8	_
	f) Lowest adjacent (finished) grade next to building	(LAG)		8.7	_
	g) Highest adjacent (finished) grade next to building	j (HAG)		8.7 ×	feet  meters
	h) Lowest adjacent grade at lowest elevation of dec structural support	k or stairs, including		8.3	feet meters
	SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION				
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.  Were latitude and longitude in Section A provided by a licensed land surveyor?   Yes  No  Check here if attachments.					
	fier's Name nas A. Prendergast	License Number GS37604			
Title	<u> </u>			$\dashv$	
Prof	essional Land Surveyor				Plade,
	pany Name dergast & Associates, LLC			Than	a solf
Addr 318	ess Discovery Lane			7 '	Herø
City Egg	Harbor Township	State New Jersey	ZIP Code 08234		
	ature Thomas A herden	Date 05-08-2023	Telephone (609) 653-2047	Ext.	
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.					
A8.(t	ments (including type of equipment and location, per b) Freedom Flood Vent; Model FFV-1608 c) Air Condition Compressor.	C2(e), if applicable)			

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, co	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 120 N. Huntington Avenue			Policy Number:		
City	State New Jersey	ZIP Code 08402	Company NAIC Number		
Margate	I E – BUILDING ELEVATION II		OT DECILIBED)		
SECTION		ZONE A (WITHOUT BFE)	T REGUITED)		
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.					
E1. Provide elevation information the highest adjacent grade (Ha) Top of bottom floor (included)	E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).				
crawlspace, or enclosure)		feet me	ters   above or  below the HAG.		
<ul> <li>b) Top of bottom floor (included crawlspace, or enclosure)</li> </ul>	is	feet me	1000		
E2. For Building Diagrams 6–9 with the next higher floor (elevation		vided in Section A Items 8 and/	or 9 (see pages 1–2 of Instructions),		
the diagrams) of the building		feet me	ters above or below the HAG.		
E3. Attached garage (top of slab)	is	feet me	ters 🔲 above or 🔲 below the HAG.		
E4. Top of platform of machinery servicing the building is	and/or equipment	feet me	ters		
E5. Zone AO only: If no flood dep floodplain management ordin		of the bottom floor elevated in nknown. The local official mus	accordance with the community's st certify this information in Section G.		
SECTION	F – PROPERTY OWNER (OR OV	WNER'S REPRESENTATIVE)	CERTIFICATION		
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.					
Property Owner or Owner's Autho	rized Representative's Name				
Address		City	State ZIP Code		
Signature		Date	Telephone		
Comments					
			Check here if attachments.		

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 120 N. Huntington Avenue			Policy Number:
City Margate	State New Jersey	ZIP Code 08402	Company NAIC Number
SECTIO	ON G - COMMUNITY INFOR	RMATION (OPTIONAL)	
The local official who is authorized by law or or Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, en	Certificate. Complete the ap		
G1. The information in Section C was tak engineer, or architect who is authoriz data in the Comments area below.)			
G2. A community official completed Section or Zone AO.	ion E for a building located ir	n Zone A (without a FEM/	A-issued or community-issued BFE)
G3. The following information (Items G4-	-G10) is provided for commu	nity floodplain manageme	ent purposes.
G4. Permit Number	G5. Date Permit Issued		Date Certificate of Compliance/Occupancy Issued
G7. This permit has been issued for:	New Construction  Sub	stantial Improvement	
G8. Elevation of as-built lowest floor (including of the building:	g basement)	feet	meters Datum
G9. BFE or (in Zone AO) depth of flooding at	the building site:	feet	meters Datum
G10. Community's design flood elevation:		feet	meters Datum
Local Official's Name	Title Alartene Tele		(FM
		ephone 6	05 8 22-1974
Signature	Dat	е	5/17/28
Comments (including type of equipment and loc	cation, per C2(e), if applicabl	e)	
			Check here if attachments.

### **BUILDING PHOTOGRAPHS**

## **ELEVATION CERTIFICATE**

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 120 N. Huntington Avenue			p. Policy Number:
City	State	ZIP Code	Company NAIC Number
Margate	New Jersey	08402	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption Front View

Clear Photo One




Photo Two Caption Right Side View

Clear Photo Two
Form Page 5 of 6

### **BUILDING PHOTOGRAPHS**

## **ELEVATION CERTIFICATE**

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 120 N. Huntington Avenue			Policy Number:
City	State	ZIP Code	Company NAIC Number
Margate	New Jersey	08402	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.




Photo Three

Photo Three Caption Flood Vent

Clear Photo Three

**Photo Four** 

Photo Four


Photo Four Caption

Clear Photo Four











www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

## **ICC-ES Evaluation Report**

**ESR-4332** 

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43—Vents / Foundation Flood Vents

REPORT HOLDER:

SMART PRODUCT INNOVATIONS, INC.

**EVALUATION SUBJECT:** 

FREEDOM FLOOD VENT® AUTOMATIC FOUNDATION FLOOD VENT: MODEL FFV-1608

#### 1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2021, 2018, 2015, 2012, 2009 and 2006 International Building Code® (IBC)
- 2021, 2018, 2015, 2012, 2009 and 2006 International Residential Code® (IRC)

### Properties evaluated:

- Physical operation
- Water flow
- Weathering

#### **2.0 USES**

The model FFV-1608 Freedom Flood Vent® is used to equalize hydrostatic pressure on walls of enclosures subject to rising or falling floodwaters. With the cover removed, the model FFV-1608 also provides natural air ventilation.

### 3.0 DESCRIPTION

#### 3.1 General:

The model FFV-1608 Freedom Flood Vent® is an engineered mechanically operated in-wall flood vent (FV) that automatically allows floodwater to enter an enclosed area and exit. The FV is comprised of a polycarbonate frame with mounting flange and a polycarbonate horizontally pivoting door. When subjected to rising water, the model FFV-1608 Freedom Flood Vent® door is activated and pivots to allow water and debris to flow in either direction to equalize hydrostatic pressure from one side of the enclosure to the other. The FV features a removable polycarbonate cover. The FV door will activate

Reissued March 2022 Revised April 2022 This report is subject to renewal March 2024.

and pivot when subjected to rising water with or without the polycarbonate cover installed.

#### 3.2 Engineered Opening:

The FV complies with the design principle noted in Section 2.7.2.2 and Section 2.7.3 of ASCE/ SEI 24-14 (2021, 2018 and 2015 IBC and IRC) [Section 2.6.2.2 of ASCE/ SEI 24-05 (2012, 2009, 2006 IBC and IRC)] for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/ SEI 24, Freedom Flood Vent® FVs must be installed in accordance with Section 4.0 below. See Table 1 for vent size and maximum allowable area coverage for a single vent.

#### 4.0 DESIGN AND INSTALLATION

The model FFV-1608 Freedom Flood Vent® is designed to be installed into walls or overhead doors of existing or new construction. Installation of the vent must be in accordance with the manufacturer's instructions, the applicable code, and this report. In order to comply with the engineered opening design principle noted in Sections 2.7.2.2 and 2.7.3 of ASCE/ SEI 24-14 (2021, 2018 and 2015 IBC and IRC) [Section 2.6.2.2 of ASCE/ SEI 24-05 (2012, 2009, 2006 IBC and IRC)], the Freedom Flood Vent® must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 250 square feet (23.2 m<sup>2</sup>) of enclosed area.
- Below the base flood elevation.
- With the bottom of the vent located a maximum of 12 inches (305.4 mm) above the higher of the final interior grade or floor and the finished exterior grade immediately under each opening.

#### 5.0 CONDITIONS OF USE

The Freedom Flood Vent® described in this report complies with, or is a suitable alternative to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

The model FFV-1608 Freedom Flood Vent® unit must be installed in accordance with this report, the applicable code and the manufacturer's published





installation instructions. In the event of a conflict, the instructions in this report shall govern.

- 5.2 The model FFV-1608 Freedom Flood Vent® unit must not be used in place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.
- **5.3** Use of the Freedom Flood Vent as under-floor space ventilation is outside the scope of this report.
- 5.4 FFV-1608 Freedom Flood Vent® is manufactured in Gastonia, North Carolina under a quality control program with inspections by ICC-ES.

### 6.0 EVIDENCE SUBMITTED

Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015 (editorially revised February 2021).

#### 7.0 IDENTIFICATION

- 7.1 The Freedom Flood Vent® model described in this report must be identified by a label bearing the manufacturer's name (Smart Product Innovations, Inc.) and the evaluation report number (ESR-4332).
- **7.2** The report holder's contact information is the following:

SMART PRODUCT INNOVATIONS, INC. 19 MANTUA ROAD MOUNT ROYAL, NEW JERSEY 08061 (800) 507-1527 www.freedomfloodvent.com info@freedomfloodvent.com

#### TABLE 1-FREEDOM FLOOD VENT®

MODEL NAME	MODEL NUMBER	MODEL SIZE	COVERAGE (sq. ft.)
Freedom Flood Vent®	FFV-1608	15 <sup>3</sup> / <sub>4</sub> " X 8 <sup>1</sup> / <sub>16</sub> "	250

For SI: 1 inch = 25.4 mm




FIGURE 1-MODEL FFV-1608 FREEDOM FLOOD VENT®: SHOWN WITH COVER REMOVED




FIGURE 2-MODEL FFV-1608 FREEDOM FLOOD VENT®: SHOWN WITH FLOOD DOOR PIVOTED OPEN



## **ICC-ES Evaluation Report**

## ESR-4332 CBC and CRC Supplement

Reissued March 2022 Revised April 2022 This report is subject to renewal March 2024.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

**DIVISION: 08 00 00—OPENINGS** 

Section: 08 95 43-Vents / Foundation Flood Vents

REPORT HOLDER:

SMART PRODUCT INNOVATIONS, INC.

**EVALUATION SUBJECT:** 

FREEDOM FLOOD VENT® AUTOMATIC FOUNDATION FLOOD VENT: MODEL FFV-1608

#### 1.0 REPORT PURPOSE AND SCOPE

#### Purpose:

The purpose of this evaluation report supplement is to indicate that the Freedom Flood Vent® Automatic Foundation Flood Vent: Model FFV-1608, described in ICC-ES evaluation report ESR-4332, has also been evaluated for compliance with codes noted below.

#### Applicable code editions:

■ 2019 California Building Code (CBC)

For evaluation of applicable chapters adopted by the California Office of Statewide Planning and Development (OSHPD) and Division of State Architect (DSA), see Sections 2.1.1 and 2.1.2 below.

■ 2019 California Residential Code (CRC)

### 2.0 CONCLUSIONS

#### 2.1 CBC:

The Freedom Flood Vent® Automatic Foundation Flood Vent: Model FFV-1608, described in Sections 2.0 through 7.0 of the evaluation report ESR-4332, complies with CBC Chapter 12 provided the design and installation are in accordance with the 2018 International Building Code® (IBC) provisions noted in the evaluation report and the additional requirements of CBC Chapters 12 and 16, as applicable.

- 2.1.1 OSHPD: The applicable OSHPD Sections and Chapters of the CBC are beyond the scope of this supplement.
- 2.1.2 DSA: The applicable DSA Sections and Chapters of the CBC are beyond the scope of this supplement.

#### 2.2 CRC:

The Freedom Flood Vent® Automatic Foundation Flood Vent: Model FFV-1608, described in Sections 2.0 through 7.0 of the evaluation report ESR-4332, complies with the 2019 CRC, provided the design and installation are in accordance with the 2018 International Residential Code® (IRC) provisions noted in the evaluation report.

This supplement expires concurrently with the evaluation report, reissued March 2022 and revised April 2022.





## **ICC-ES Evaluation Report**

## **ESR-4332 FBC Supplement**

Reissued March 2022 Revised April 2022 This report is subject to renewal March 2024.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00-OPENINGS

Section: 08 95 43—Vents / Foundation Flood Vents

REPORT HOLDER:

SMART PRODUCT INNOVATIONS, INC.

**EVALUATION SUBJECT:** 

FREEDOM FLOOD VENT® AUTOMATIC FOUNDATION FLOOD VENT: MODEL FFV-1608

#### 1.0 REPORT PURPOSE AND SCOPE

#### Purpose:

The purpose of this evaluation report supplement is to indicate that Freedom Flood Vent® Automatic Foundation Flood Vent: Model FFV-1608, described in ICC-ES evaluation report ESR-4332, has also been evaluated for compliance with the codes noted below.

#### Applicable code editions:

- 2020 Florida Building Code—Building
- 2020 Florida Building Code—Residential

### 2.0 CONCLUSIONS

The Freedom Flood Vent® Automatic Foundation Flood Vent: Model FFV-1608, described in Sections 2.0 through 7.0 of the evaluation report ESR-4332, complies with the Florida Building Code—Building and the Florida Building Code—Residential. provided the design requirements are determined in accordance with the Florida Building Code—Building and the Florida Building Code—Residential, as applicable. The installation requirements noted in ICC-ES evaluation report ESR-4332 for the 2018 International Building Code® (IBC) meet the requirements of Florida Building Code—Building and the Florida Building Code—Residential, as applicable.

Use of the Freedom Flood Vent® Automatic Foundation Flood Vent: Model FFV-1608 has also been found to be in compliance with the High-Velocity Hurricane Zone provisions of the Florida Building Code—Building and the Florida Building

For products falling under Florida Rule 61G20-3, verification that the report holder's quality assurance program is audited by a quality assurance entity approved by the Florida Building Commission for the type of inspections being conducted is the responsibility of an approved validation entity (or the code official, when the report holder does not possess an approval by the Commission).

This supplement expires concurrently with the evaluation report, reissued March 2022 and revised April 2022.

