U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official (2) insurance agent/company, and (3) building owner

SECTION A - PROPER		FOR INSURANCE COMPANY USE
A1. Building Owner's Name DAVCO CONSTRUCTION, INC.	Policy Number:	
A2. Building Street Address (including Apt., Unit, S Box No.7513 MONMOUTH AVENUE	uite, and/or Bldg. No.) or P.O. I	Route and Company NAIC Number:
City MARGATE	State New Jersey	ZIP Code 08402
A3. Property Description (Lot and Block Numbers, LOT 3, BLOCK 403	Tax Parcel Number, Legal Des	cription, etc.)
A4. Building Use (e.g., Residential, Non-Residential		
A5. Latitude/Longitude: Lat. 39.33555	Long74.49778	Horizontal Datum: ☐ NAD 1927 区 NAD 1983
A6. Attach at least 2 photographs of the building if	the Certificate is being used to	obtain flood insurance.
A7. Building Diagram Number 7		
A8. For a building with a crawlspace or enclosure(s	•	
a) Square footage of crawlspace or enclosure(-
b) Number of permanent flood openings in the		nin 1.0 foot above adjacent grade 4
c) Total net area of flood openings in A8.b	And a commence of the commence	
d) Engineered flood openings? X Yes	No	
A9. For a building with an attached garage:		
a) Square footage of attached garage	N/A sq ft	
b) Number of permanent flood openings in the	attached garage within 1.0 foot	above adjacent grade N/A
c) Total net area of flood openings in A9.b	N/A sg in	
d) Engineered flood openings? Yes		
, and distributed approximate the property of	,	
SECTION B - FLOOI	D INSURANCE RATE MAP (FIRM) INFORMATION 22-145
B1. NFIP Community Name & Community Number CITY OF MARGATE 345304	B2. County Name ATLANTIC	B3. State New Jersey
B4. Map/Panel B5. Suffix B6. FIRM Index Date	B7. FIRM Panel B8. F Effective/ Zone(
34001C0453 F 08-28-2018	Revised Date 08-28-2018	8.0
B10. Indicate the source of the Base Flood Elevation FIS Profile FIRM Community Det		oth entered in Item B9:
	ermined Other/Source:	
☐ FIS Profile ☒ FIRM ☐ Community Det B11. Indicate elevation datum used for BFE in Item	ermined Other/Source: B9: NGVD 1929 X NAV	

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or 7513 MONMOUTH AVENUE	r Bldg. No.) or P.O. Rou	ute and Box No.	Policy Number:
City Sta MARGATE New	te ZIP w Jersey 084	Code 02	Company NAIC Number
SECTION C – BUILDING EL	EVATION INFORMAT	TION (SURVEY RE	EQUIRED)
C1. Building elevations are based on: Construction	on Drawings*	ding Under Constru	uction* X Finished Construction
*A new Elevation Certificate will be required when c	,		
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: LOCAL BENCH Vertical Datum: NAVD 1988			
Indicate elevation datum used for the elevations in it	tems a) through h) belo	W.	
□ NGVD 1929 ▼ NAVD 1988 □ Other/S			
Datum used for building elevations must be the sam	e as that used for the E	BFE.	Check the measurement used.
a) Top of bottom floor (including basement, crawlsp	pace, or enclosure floor)	5.5 × feet meters
b) Top of the next higher floor		,	15.9 X feet meters
c) Bottom of the lowest horizontal structural member	er (V Zones only)		N/A feet meters
d) Attached garage (top of slab)	(= =, ,		N/A feet meters
e) Lowest elevation of machinery or equipment ser (Describe type of equipment and location in Com	vicing the building iments)	-	15.2 X feet meters
f) Lowest adjacent (finished) grade next to building	(LAG)		5.4 × feet meters
g) Highest adjacent (finished) grade next to building	(HAG)		6.7 X feet meters
h) Lowest adjacent grade at lowest elevation of dec structural support	ck or stairs, including		5.1 X feet meters
	ENGINEED OF ARC	PUITECT CERTICI	
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION 22–145 This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.			
I certify that the information on this Certificate represents statement may be punishable by fine or imprisonment un	my hest efforts to inter	nret the data availa	ble. I understand that any false
Were latitude and longitude in Section A provided by a lie	censed land surveyor?	Yes □ No	
Certifier's Name HOWARD A. TRANSUE	License Number GS33451		
Title			CS 33541
PROFESSIONAL LAND SURVEYOR			Place
Company Name SCHAEFFER NASSAR SCHEIDEGG, CE, LLC			Seal
Address 1425 CANTILLON BOULEVARD			Here
City	State	ZIP Code	HARC
MAYS LANDING	New Jersey	08330	6/4/2023
Signature III a. C	Date 06-14-2023	Telephone (609) 625-7400	Ext.
Copy all pages of this Elevation Certificate and all attachme	ents for (1) community of	ficial, (2) insurance a	agent/company, and (3) building owner.
Comments (including type of equipment and location, per C2(e), if applicable) ITEM A8b VENTS ARE CRAWL SPACE DOOR SYSTEMS FLOOD VENTS MODEL ICCINSULATED RATED AT 303 SQ. IN. EACH. ITEM C2e IS THE A.C. UNIT. PICTURES TAKEN 06/13/2023.			
			,

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding	g information from S	ection A.	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/o 7513 MONMOUTH AVENUE	or Bldg. No.) or P.O. Ro	oute and Box No.	Policy Number:		
		P Code 402	Company NAIC Number		
SECTION E – BUILDING ELE FOR ZONE	VATION INFORMATI AO AND ZONE A (W		REQUIRED)		
For Zones AO and A (without BFE), complete Items E1–complete Sections A, B,and C. For Items E1–E4, use nate enter meters.	E5. If the Certificate is tural grade, if available	intended to support a Check the measure	LOMA or LOMR-F request, ment used. In Puerto Rico only,		
E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).a) Top of bottom floor (including basement,					
crawlspace, or enclosure) is b) Top of bottom floor (including basement,		feet meter	s above or below the HAG.		
crawlspace, or enclosure) is		feet meter	s above or below the LAG.		
E2. For Building Diagrams 6–9 with permanent flood oper the next higher floor (elevation C2.b in the diagrams) of the building is	enings provided in Sec	tion A Items 8 and/or			
E3. Attached garage (top of slab) is		feet meter	s above or below the HAG.		
E4. Top of platform of machinery and/or equipment servicing the building is		feet meter	s above or below the HAG.		
E5. Zone AO only: If no flood depth number is available, floodplain management ordinance? Yes I	is the top of the botton No Unknown. Th	n floor elevated in ac ne local official must o	cordance with the community's certify this information in Section G.		
SECTION F - PROPERTY OWNE	R (OR OWNER'S RE	PRESENTATIVE) CE	ERTIFICATION 72-146		
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.					
Property Owner or Owner's Authorized Representative's Name					
Address	City	Sta	ate ZIP Code		
Signature	Date	Te	lephone		
Comments					
• •					
,					
÷.					
			,		
			Check here if attachments.		

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Su 7513 MONMOUTH AVENUE	ite, and/or Bldg. No.) or F	P.O. Route and Box No.	Policy Number:		
City MARGATE	State New Jersey	ZIP Code 08402	Company NAIC Number		
SECTIO	N G - COMMUNITY INFO	ORMATION (OPTIONAL)	22-146		
The local official who is authorized by law or ord Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, ent	Certificate. Complete the er meters.	applicable item(s) and sign	n below. Check the measurement		
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)					
G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.					
G3. The following information (Items G4–0	G10) is provided for comn	nunity floodplain managem	ent purposes.		
G4. Permit Number	G5. Date Permit Issued		Date Certificate of Compliance/Occupancy Issued		
G7. This permit has been issued for: New Construction Substantial Improvement					
G8. Elevation of as-built lowest floor (including basement) feet meters					
G9. BFE or (in Zone AO) depth of flooding at ti	G9. BFE or (in Zone AO) depth of flooding at the building site: feet meters				
G10. Community's design flood elevation:			meters Datum		
Local Official's Name Title Community Name Telephone MANGAIM Signature					
Community Name	Caro	elephone			
Signature)ate	12-197x 5/ex/c3		
Comments (including true of	WI	<i>&</i>	1/22/03		
Comments (including type of equipment and loc	ation, per C2(e), if applica	able)			
, , , , , , , , , , , , , , , , , , , ,					
			;		
			Check here if attachments.		

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2022


IMPORTANT: In these spaces, copy the corresponding information from Section A.		
Suite, and/or Bldg. No.) or	P.O. Route and Box No.	Policy Number:
State	ZIP Code	Company NAIC Number
New Jersey	08402	
	Suite, and/or Bldg. No.) or State	Suite, and/or Bldg. No.) or P.O. Route and Box No. State ZIP Code

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One Caption FRONT VIEW AND RIGHT SIDE VIEW 72-146

Clear Photo One



BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 7513 MONMOUTH AVENUE			Policy Number:
City MARGATE	State New Jersey	ZIP Code 08402	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption REAR VIEW AND LEFT SIDE VIEW

22-146

Clear Photo Three



Photo Four

Photo Four Caption CRAWL SPACE DOOR SYSTEMS FLOOD VENT MODEL ICCINSULATED TYPICAL OF 4

Clear Photo Four

ICC Insulated Flood Vent

Our ICC Insulated Flood Vent is designed to meet FEMA, NFIP and ICC requirements for Engineered Flood Vents in all 50 States.

Our 16"x 8" insulated flood vent covers 303 sq. ft. making it the highest rated flood vent that size available in the market.

Getting your home FEMA compliant does not have to be expensive.


Made of durable PVC/ABS Plastic and Dupont Styrofoam.

Easily installs into most homes foundation.

- Opening: 15.78"x 7.99"
- Outside Flange: 18.25" x 10.5"
- Each vent covers 303 sq. Ft.
- Model # ICCINSULATED

Florida Approval FL-29622





FEMA / NFIP Guidelines When Installing Engineered Flood Vents:

- The bottom of the flood vent opening cannot be higher than 12 inches above grade.
- A minimum of two vents for each enclosed area (crawl space, garage, or rooms within a garage), and each flood vent must be on at least two different sides exterior walls.
- A minimum of one engineered square inch of opening for each square foot of enclosed area for an engineered flood vent. Or a minimum of one square inch of net open area for each square foot of enclosed area for non-engineered openings.
- An engineered certificate of flood openings is required for all engineered flood vents without ICC-ES certification.



